

# Product Catalogue

2017



pro.val  
by RCR



## **RCR International Pty Ltd**

ABN 21 089 270 360

Level 2, 3 Joseph Avenue  
Chifley Business Park  
Moorabbin Airport Vic 3194

PO Box 148  
Braeside Vic 3195 Australia

Tel: (61 - 3) 9558 2020

Fax: (61 - 3) 9558 3030

Email: [service@rcr.com.au](mailto:service@rcr.com.au)

**[www.rcr.com.au](http://www.rcr.com.au)**



## **RCR's vision:**

**Adding value with values.**

**As brand owners of Pro-Val, RCR's focus is to provide the complete package - product, services, knowledge, innovation and support.**

**We aim to look after things so well, that our customers just get on with their business. All this while keeping things absolutely simple.**



**Australian Packaging Covenant**



**HACCP Australia  
Food Safety  
Certification**



# CONTENTS



## PRO-VAL GLOVES

### Page

Choosing the Correct Glove	2
Glove Material Properties	2
Latex Allergy	2
Glove Standards	3
The Pro-Val Glove Range	4 - 7
Examination Gloves	8 - 16
Disposable Gloves	17 - 22
Rubber Gloves	23 - 25
Nitrile Gloves - Heavy Duty	26 - 27
Cold Storage Gloves	28 - 29
Liners / Solo Gloves	30 - 31
Industrial Gloves	32 - 34
PVC Gloves - Heavy Duty	35
Cut Resistant Gloves	36 - 39
Glove Chemical Resistance Table	40 - 43
Glove, Apron and Wipe Dispensers	44

## PRO-VAL RESPIRATORS AND FACE MASKS

Respirator Fitting Instructions	45
P1 Respirators	45
P2 Respirators	46
P2 Carbon Respirators	47
Disposable Face Masks	48

## PRO-VAL PROTECTIVE CLOTHING, FREEZER WEAR AND HEALTH CARE RANGE

Protective Clothing and Health Care Range	49 - 50
Protective Clothing Fabric Properties	51
Coverall Comparison and Size Chart	52
Hazguard Coveralls	53 - 56
Eco Coveralls	57 - 58
Splash Gowns	59
Aprons	60
Visitor Coats	61
Disposable Coats	62 - 63
Sleeve Protectors	64 - 65
Shoe Covers	66
Boot Covers	67
Berets and Beard Covers	68
Bed Sheet and Pillow Cases	69
Freezer Wear - Jacket, Pants and Gloves	70
Freezer Wear - Technical Data, Sizing, Codes and Beanies	71
Pallet Covers	72
Drum Covers	73

## PRO-VAL COMMERCIAL WIPES

HD Wipes	74
HD Wipe Dispenser	74
VC Wipes	75
WP Wipes	76

Gloves are produced from many different materials, each with specific properties for specific applications.

For more detailed information refer to our specific Chemical Resistance Table on pages 40 - 43.

## MATERIAL PROPERTIES

### Natural Rubber / Latex

- The most elastic material known
- Soft and comfortable to wear
- Excellent tensile strength
- Elasticity brings resistance to abrasion, cuts and tears
- Good resistance to all liquids that mix with water
- Resistant to alkalis, detergents and alcohols
- Not recommended for use with hydrocarbons, including kerosene or petrol
- Allergy: Note that some people can have an allergic reaction to natural latex rubber. These people should use a synthetic alternative such as nitrile, neoprene (polychloroprene) or PVC

### Nitrile (NBR or Nitrile Butadiene Rubber)

- Synthetic alternative to natural latex rubber
- Excellent resistance to abrasion, cuts and punctures
- Resistant to a broad range of chemicals including petroleum based solvents, oil, grease, acids and caustics
- Suitable for food contact
- Ideal for latex allergy sufferers

### Polychloroprene (Neoprene)

- Synthetic alternative to natural rubber latex
- Good elasticity
- Very good tensile strength
- Soft and comfortable to wear
- Resistant to a broad range of oils, acids, caustics, bleaches, detergents and alkalis
- Ideal for latex allergy sufferers
- Neoprene is a trade mark of E.I. du Pont de Nemours and Company

### Vinyl (PVC)

- Synthetic thermoplastic polymer alternative to natural latex rubber
- Suitable for food contact
- Excellent resistance to petroleum based hydrocarbons, most oils, acids, fats, alkalis and caustics
- Ideal for latex allergy sufferers

### Polyurethane (PU)

- Mainly used as a coating on knitted gloves providing excellent grip
- Excellent resistance to abrasion and tears
- Excellent flexibility and comfort
- Resistant to oils, fats and greases

### HPPE Fibre (High-performance-polyethylene)

- Excellent cut resistance, one of the strongest fibres in the world
- Highly resistant to abrasion (15 times more resistant to abrasion than carbon steel)
- Will not absorb water, retaining its properties after laundering or in wet conditions
- Fibres are resistant to a large range of chemicals
- Fibres are resistant to UV radiation and micro-organisms
- Comes in the form of knitted gloves

### Twaron®

- Organic, industrial man-made para-aramid fibre
- High tensile strength (5 times stronger than steel)
- High cut resistance
- High temperature resistance
- Fatigue resistant, very little loss of strength during repeated abrasion, flexing and stretching
- Comes in the form of knitted gloves
- Twaron is trade mark of Teijin Twaron® BV

### Nylon

- High durability and elongation
- Excellent abrasion resistance
- Highly resistant to mould, mildew and rot
- Comfortable to wear for long periods
- Washable

## OCCUPATIONAL

### Occupational gloves - selection, use and maintenance AS/NZS 2161.1

Sets out the recommended practices aimed at ensuring gloves are chosen and maintained in a manner to provide adequate protection

### Occupational gloves - general requirements


#### AS/NZS 2161.2 or EN420

Defines:

- Product information and markings
- Glove design and construction
- Resistance of glove material to water penetration
- Comfort and efficiency
- Innocuousness

### Occupational gloves - mechanical risks AS/NZS 2161.3 or EN388

Defines four mechanical/physical performance characteristics (abrasion, cut, tear, puncture)



### The mechanical/physical risk performance table (The higher the number, the higher the resistance level)

Test/Performance Level	1	2	3	4	5
Abrasion (cycles)	100	500	2000	8000	-
Cut resistance (index)	1.2	2.5	5.0	10.0	20.0
Tear resistance (N)10	25	50	75	-	-
Puncture resistance (N)	20	60	100	150	-

### Occupational gloves - protection against chemicals and micro-organisms

#### AS/NZS 2161.10 or EN374

Sets out the permeation and penetration levels  
chemical permeation is measured in breakthrough time (BTT)

BTT (minutes)	>10	>30	>60	>120	>240	>480
Performance Level	1	2	3	4	5	6

### The test chemicals are from 12 classes

Code letter	Chemical	CAS number	Class
A	Methanol	67-56-1	Primary alcohol
B	Acetone	67-64-1	Ketone
C	Acetonitrile	75-05-8	Nitrile compound
D	Dichloromethane	75-09-2	Chlorinated paraffin
E	Carbon disulphide	75-15-0	Sulphur containing organic compound
F	Toluene	108-88-3	Aromatic hydrocarbon
G	Diethylamine	109-89-7	Amine
H	Tetrahydrofuran	109-99-9	Heterocyclic and ether compound
I	Ethyl acetate	141-78-6	Ester
J	n-Heptane	142-85-5	Saturated hydrocarbon
K	Sodium hydroxide (40%)	1310-73-2	Inorganic base
L	Sulphuric acid (96%)	7664-93-9	Inorganic mineral acid

#### EN 374



B E K

#### Example pictogram

The three letters indicate three chemical codes from the table where the BTT is level 3 or higher.

#### EN 374



Micro-organism penetration is measured in three performance levels:

Performance level	1	2	3
AQL (units)	<4	<1.5	<0.65



# EXAMINATION GLOVES

Examination gloves relates to those gloves used for medical, diagnostic and therapeutic procedures, and meeting specific requirements relating to dimensions, watertightness and tensile properties (strength and elongation).

Our examination gloves are listed on the Register of Therapeutic Goods and meet International Standards for Medical Examination Gloves.

## Securitex PF

Latex  
Powder free  
(Details page 8)



## WhiteNite

Nitrile  
Comfortable  
Powder free  
(Details page 12)



## Securitex LP

Latex  
Lightly powdered  
(Details page 8)



## SuperSoft

Nitrile  
Powder free  
(Details page 13)



## Securitex HR

Latex high-risk  
Extra long cuff  
Powder free  
(Details page 9)



## Stretch PF

Ultra soft resin  
vinyl  
Powder free  
(Details page 14)



## Nite Long

Nitrile  
Extra long cuff  
Powder free  
(Details page 10)



## Stretch Blues

Ultra soft resin  
vinyl, blue  
Powder free  
(Details page 15)



## NiteSafe

Nitrile  
Powder free  
(Details page 11)



## Chemoprene

Polychloroprene  
(Neoprene)  
Powder free  
(Details page 16)



# DISPOSABLE GLOVES



The Pro-Val range of disposable gloves are suitable for use in a range of environments and industries, including science laboratories, schools, food processing environments, mechanical workshops and beauty salons.

Look for the HACCP Australia Food Safety Certification for gloves that are accredited for use in the food industry.

## Nitrile Blues PF

Nitrile  
Powder free  
(Details page 17)



## Foodie Blues

Vinyl  
Lightly powdered  
(Details page 20)



## Nitrile Blax PF

Nitrile  
Powder free  
(Details page 18)



## Eco Clear

Vinyl  
Lightly powdered  
Powder free  
(Details page 21)



## Ecotex

Latex  
Lightly powdered  
Economy box of 200  
(Details page 19)



## Eco Blue

Vinyl  
Lightly powdered  
Powder free  
(Details page 21)



## All Clear

Vinyl  
Lightly powdered  
(Details page 20)



## Poly Gloves

Polyethylene  
Powder free  
(Details page 22)



# RUBBER GLOVES

The Pro-Val range of rubber gloves are ideal for use in both food handling and processing environments and also for general and industrial cleaning.

## Thrifty Yellows

Rubber  
Flock lined  
(Details page 23)



## Tuff Pinks

Rubber  
Silver lined  
(Details page 25)



## Process Blues

Rubber  
Blue lined  
(Details page 24)



# HEAVY DUTY - NITRILE & PVC

Pro-Val heavy duty gloves are ideal for use in applications where increased strength and/or chemical resistance is required.

Please refer to our Chemical Resistance Table on pages 40 - 43 for assistance with choosing the appropriate glove material for any chemicals you may be using.

## Nitrile 33's

Nitrile  
Flock lined  
33cm long  
(Details page 26)



## Trojan

Heavy duty PVC  
Seamless cotton  
liner  
(Details page 35)



## Nitrile 46's

Nitrile  
Unlined  
Elbow length  
(Details page 27)



## COLD STORAGE GLOVES

Pro-Val cold storage gloves are designed to offer increased warmth and protection in very cold or sub zero working environments.

## KT5 - Level 5 cut resistant thermal liner

HPPE, glass fibre,  
polyester and spandex  
(Details page 28)



## Freeza-grip

Brushed acrylic lining  
Sandy foam nitrile  
palm  
(Details page 29)



## LINER/SOLO GLOVES

Pro-Val cotton and poly cotton gloves are designed to be used either by themselves, or as a liner inside another glove, such as a reusable rubber glove, where your application or user may require additional comfort or protection.

Also see cut resistant liners on pages 28 and 39.

## Poly C

Polycotton  
Unbleached  
Cream and Grey  
(Details page 30)



## Interlox

100% Cotton  
without cuff  
(Details page 31)



## Poly D

Polycotton  
PVC dotted palm  
Grey and Purple  
(Details page 30)





# INDUSTRIAL GLOVES



Pro-Val industrial gloves offer hand protection, without compromising touch, feel, comfort and dexterity.

With a variety of palm coating choices, the industrial gloves will offer good grip, breathability, precision touch, a good resistance to oils with limited hand fatigue.

## Foam Flex

Nylon  
Foam nitrile palm  
(Details page 32)



## Taipan

Black nylon  
Latex crinkle palm  
(Details page 34)



## Precision

Nylon, Polyurethane  
palm coat  
(Details page 33)



# CUT RESISTANT GLOVES

The Pro-Val range of cut resistant gloves have a minimum of Level 5 cut resistance.

Cut resistance is measured using AS/NZS 2161.3:2005 or the equivalent European Standard of EN388. Gloves receive 4 ratings - Abrasion, Cut, Tear and Puncture.

## DX5 - Level 5 cut resistant

HPPE and glass fibre  
Black polyurethane palm  
coat  
(Details page 36)



## KT5 - Level 5 cut resistant thermal liner

HPPE, glass fibre,  
polyester and spandex  
(Details page 28)



## Dynagrip - Level 5 cut resistant

HPPE, glass fibre and lycra  
Grey polyurethane palm  
coat  
(Details page 37)



## KG5 - Level 5 cut resistant liner

HPPE, glass fibre,  
polyester and spandex  
(Details page 39)



## Tufflex - High Level 5 cut resistant

HPPE and glass fibre  
Nitrile palm coat  
PE lined  
(Details page 38)





Lightly powdered



Powder free

*Warning: These gloves contain natural rubber latex, and may cause allergic reactions in some individuals*

**Securitex latex examination gloves.**

**Comfortable and flexible, providing protection and dexterity for the user.**

**Two variants are available - lightly powdered and powder free.**



#### Features

- Natural rubber latex
- Easy donning
- Textured surface on powder free glove
- Flexible
- Ambidextrous design
- Beaded cuff for extra strength when donning
- Listed on the Register of Therapeutic Goods
- Meets International Standards for Medical Examination Gloves
- HACCP Australia Food Safety Certification
- For single use, non sterile

#### Uses include

- Hospitals, medical and diagnostic
- Dental clinics
- Emergency services - ambulance, police, fire brigade
- Laboratories
- Pharmaceutical and cosmetic industries
- Hair care and beauty therapists
- Graphic arts
- Childcare centres
- Food processing

#### Size and Codes - Securitex PF (powder free)

X Small	(40080)	Small	(41004)
Medium	(41005)	Large	(41006)
X Large	(41007)		

#### Size and Codes - Securitex LP (lightly powdered)

X Small	(40099)	Small	(41000)
Medium	(41001)	Large	(41002)
X Large	(41003)		



#### Packaging

100 pieces per box, 10 boxes per carton (1000 pieces)

# SECURITEX HR

Latex - long cuff, extra thick

pro-val  
by RCR



SEE OUR  
GLOVE  
DISPENSERS  
ON PAGE 44

Examination Gloves

**Securitex HR latex gloves are a long cuff, high-risk examination glove.**

**They are three times thicker than standard latex gloves, with extra long cuffs, making them ideal for the end user who requires more protection.**

## Features

- Natural rubber latex
- Triple thickness 0.33mm
- Extra long 295mm
- Textured surface enhances wet or dry grip
- Powder free
- On-line chlorinated for easy donning
- Ambidextrous design
- Beaded cuff for extra strength when donning
- Listed on the Register of Therapeutic Goods
- Meets International Standards for Medical Examination Gloves
- HACCP Australia Food Safety Certification
- For single use, non sterile



## Uses include

- Hospitals, medical and diagnostic
- Dental clinics
- Medical instrument cleaning
- Correctional services
- Emergency services - ambulance, police, fire brigade
- Pharmaceutical
- Laboratories
- Cosmetic industries
- Hair care and beauty therapists
- Childcare centres
- Tattooists
- Food processing and food service

*Warning: These gloves contain natural rubber latex, and may cause allergic reactions in some individuals*



## Packaging

50 pieces per box, 10 boxes per carton (500 pieces)

## Size and Codes

Small	(41066)	Medium	(41067)
Large	(41068)	X Large	(41069)
XX Large	(41070)		

# NITE LONG

Nitrile



*New*  
& Improved

**Nitrile powder free examination and food grade glove, extra long 300mm.**

**Nite Long are extremely strong, while still maintaining great dexterity and feel. 300mm long to provide extra protection. They also provide a broad range of chemical resistance, particularly petroleum based chemicals.**

## Features

- Nitrile
- Extra long 300mm
- Strong and extra stretchy
- Excellent barrier where there is greater risk of puncture
- Broad range of chemical resistance, particularly petroleum based chemicals
- Latex free, ideal for latex allergy sufferers
- Powder free
- Textured surface for good grip
- Beaded cuff for extra strength when donning
- Ambidextrous design
- Listed on the Register of Therapeutic Goods
- Meets International Standards for Medical Examination Gloves
- HACCP Australia Food Safety Certification
- For single use, non sterile

## Uses include

- Food handling
- Abattoirs
- Printing industry
- Agriculture/milking glove
- Emergency services - ambulance, police, fire brigade
- Hospital, medical and diagnostic
- Laboratories
- Dental clinics
- Pharmaceutical and cosmetic industries
- Hair care and beauty therapists
- Graphic arts
- Mechanical workshops

## Size and Codes

Small	(41092)	Medium	(41093)
Large	(41094)	X Large	(41095)
XX Large	(41096)		



## Packaging

100 pieces per box, 10 boxes per carton (1000 pieces)



# NITESAFE

Premium nitrile

pro·val  
by RCR



Examination Gloves

**Premium nitrile powder free examination gloves.**

**NiteSafe gloves offer outstanding strength, dexterity and comfort.**

**They also provide a broad range of chemical resistance, particularly petroleum based chemicals.**

#### Features

- Nitrile
- Strong and extra stretchy
- Excellent barrier where there is greater risk of puncture
- Broad range of chemical resistance, particularly petroleum based chemicals
- Latex free, ideal for latex allergy sufferers
- Powder free
- Textured surface for good grip
- Beaded cuff for extra strength when donning
- Ambidextrous design
- Listed on the Register of Therapeutic Goods
- Meets International Standards for Medical Examination Gloves
- HACCP Australia Food Safety Certification
- For single use, non sterile

#### Uses include

- Emergency services - ambulance, police, fire brigade
- Hospitals, medical and diagnostic
- Laboratories
- Dental clinics
- Correctional services
- Pharmaceutical and cosmetic industries
- Food handling / processing
- Hair care and beauty therapists
- Graphic arts
- Abattoirs
- Mechanical workshops



#### Packaging

100 pieces per box, 10 boxes per carton (1000 pieces)



#### Size and Codes

Small	(41008)	Medium	(41009)
Large	(41010)	X Large	(41011)



**The most cost effective nitrile examination glove in the Pro-Val range. Incredibly comfortable and dexterous.**

### Features

- Nitrile
- Powder free
- Ultra thin, provides increased touch and feel
- Extremely comfortable
- Textured finger tips for good grip
- Latex free, ideal for latex allergy sufferers
- Beaded cuff for extra strength when donning
- Ambidextrous design
- Listed on the Register of Therapeutic Goods
- Meets International Standards for Medical Examination Gloves
- For single use, non sterile

### Uses include

- Dental clinics
- Hospital, medical and diagnostic
- Veterinarian
- Emergency services - ambulance, police
- Laboratories
- Pharmaceutical and cosmetic industries
- Aged care
- Childcare centres



### Size and Codes

Small (41105)	Medium (41106)
Large (41107)	X Large (41108)



### Packaging

100 pieces per box, 10 boxes per carton (1000 pieces)

# SUPERSOFT

## Nitrile



**SuperSoft nitrile is the blue version of the White Nite glove. Our most cost effective nitrile examination powder free glove. Incredibly comfortable, soft and dexterous.**

**Blue in colour for easy recognition in the food processing and handling areas. This glove is also examination grade, and can be used in numerous medical and laboratory areas.**

**The glove is latex free, but provides the dexterity and feel of a latex glove.**

### Features

- Nitrile
- Powder free
- Super soft, extremely comfortable
- Ultra thin, provides increased touch and feel
- Textured finger tips for good grip
- Broad range of chemical resistance, particularly petroleum based chemicals
- Latex free, ideal for latex allergy sufferers
- Listed on the Register of Therapeutic Goods
- Meets International Standards for Medical Examination Gloves
- HACCP Australia Food Safety Certification
- Beaded cuff for extra strength when donning
- Ambidextrous design
- For single use, non sterile

### Uses include

- Food manufacturing and processing
- Food handling and preparation
- Abattoirs
- Catering
- Hospital, medical and diagnostic
- Dental clinics
- Veterinarian
- Emergency services - ambulance, police
- Tattooists
- Laboratories
- Aged care
- Pharmaceutical and cosmetic industries
- Childcare centres



### Packaging

100 pieces per box, 10 boxes per carton (1000 pieces)

### Size and Codes

Small	(41130)	Medium	(41131)
Large	(41132)	X Large	(41133)

# STRETCH PF

Stretchier vinyl



## Vinyl stretch.

The Stretch PF is a new generation, ultra soft resin vinyl examination glove. It looks and fits like latex.

Latex allergy sufferers will benefit from using the Stretch PF vinyl glove.

### Features

- Vinyl
- Stretchier than standard vinyl
- Looks and fits like latex
- Latex free, ideal for latex allergy sufferers
- Does not contain DOP or DEHP phthalates
- Powder free
- Ambidextrous design
- Beaded cuff for extra strength when donning
- Listed on the Register of Therapeutic Goods
- Meets International Standards for Medical Examination Gloves
- HACCP Australia Food Safety Certification
- For single use, non sterile

### Uses include

- Hospitals, medical and diagnostic
- Emergency services - ambulance, police, fire brigade
- Dental clinics
- Nurses
- Childcare centres
- Pharmaceutical and cosmetic industries
- Food manufacturing and processing
- Cleaning

### Size and Codes

Small	(41025)	Medium	(41026)
Large	(41027)	X Large	(41028)



### Packaging

100 pieces per box, 10 boxes per carton (1000 pieces)



# STRETCH BLUES

Stretchier vinyl



**Vinyl stretch.**

**The Stretch Blues are a new generation, ultra soft resin vinyl examination glove. Looks and fits like latex.**

**A medical grade glove, and also being blue in colour for easy recognition is ideal in the food processing and handling areas as well.**

**Latex allergy sufferers will also benefit from using the Stretch Blues vinyl glove.**

## Features

- Vinyl
- Stretchier than standard vinyl
- Looks and fits like latex
- Latex free, ideal for latex allergy sufferers
- Does not contain DOP or DEHP phthalates
- Powder free
- Beaded cuff for extra strength when donning
- Ambidextrous design
- Listed on the Register of Therapeutic Goods
- Meets International Standards for Medical Examination Gloves
- HACCP Australia Food Safety Certification
- For single use, non sterile

## Uses include

- Hospitals, medical and diagnostic
- Emergency services - ambulance, police, fire brigade
- Dental clinics
- Nurses
- Childcare centres
- Pharmaceutical and cosmetic industries
- Food manufacturing and processing
- Food handling and preparation areas i.e. deli's, sandwich bars, cafés
- Catering
- General industry
- Cleaning



## Size and Codes

Small (41037)	Medium (41038)
Large (41039)	X Large (41040)

## Packaging

100 pieces per box, 10 boxes per carton (1000 pieces)



**Polychloroprene (neoprene) examination gloves.**

**Chemoprene are incredibly flexible, comfortable and strong. Better elongation and tensile strength than nitrile. Excellent resistance to cytotoxic chemotherapy drugs and many chemicals.**

#### Features

- Polychloroprene (neoprene)
- Extra strength and flexibility
- No breakthrough detected up to 480 minutes against 40% Sulphuric acid, 10% Sodium hydroxide and 50% Nitric acid
- No breakthrough detected up to 120 minutes against cytotoxic chemotherapy drugs, including: Cyclophosphamide, Doxorubicin hydrochloride, 5 - Fluorouracil, Cisplatin, Paclitaxel, Thio-Tepa and Mitomycin. (Carmustine breakthrough detection time was 55 minutes)
- Latex free, ideal for latex allergy sufferers
- Powder free
- Ambidextrous
- Listed on the Register of Therapeutic Goods
- Meets International Standards for Medical Examination Gloves
- For single use, non sterile

#### Uses include

- Chemotherapy treatment - use with cytotoxic drugs
- Hospitals, medical and diagnostic
- Dental clinics
- Medical instrument cleaning
- Emergency services - ambulance, police, fire brigade
- Pharmaceutical and cosmetic industries
- Laboratories
- Hair care
- Tattooists
- Automotive/panel shops

#### Size and Codes

Small (41073)	Medium (41074)
Large (41075)	X Large (41076)



#### Packaging

100 pieces per box, 10 boxes per carton (1000 pieces)

# NITRILE BLUES PF

Nitrile



Disposable Gloves



Nitrile Blues PF are powder free, nitrile gloves. They are blue in colour for easy recognition in food processing and handling areas.

Strong, durable, with excellent grip, they also offer a broad range of chemical resistance, particularly with petroleum based chemicals.

Latex free makes them ideal for latex allergy sufferers.

## Features

- Nitrile
- Strong, durable and comfortable
- On-line chlorinated for easy donning
- Latex free, ideal for latex allergy sufferers
- HACCP Australia Food Safety Certification
- Broad range of chemical resistance, particularly petroleum based chemicals
- Textured surface for good grip
- Powder free
- Beaded cuff for extra strength when donning
- Ambidextrous design

## Uses include

- Food manufacturing and processing
- Food handling and preparation
- Catering
- Abattoirs
- Hair care and beauty therapists
- Childcare centres
- Tattooists
- Graphic arts
- Mechanical workshops



## Size and Codes

Small	(41060)	Medium	(41061)
Large	(41062)	X Large	(41063)

## Packaging

100 pieces per box, 10 boxes per carton (1000 pieces)

# NITRILE BLAX PF

Nitrile



**Black nitrile gloves.**

**Strong, durable with excellent grip, Nitrile Blax offer outstanding chemical resistance, particularly with petroleum based chemicals.**

## Features

- Nitrile
- Latex free, ideal for latex allergy sufferers
- Strong, durable and comfortable
- On-line chlorinated for easy donning
- Powder free
- Broad range of chemical resistance, particularly petroleum based chemicals
- Textured fingertips provide extra grip for wet or dry situations
- Beaded cuff for extra strength when donning
- Black in colour
- Ambidextrous design

## Uses include

- Mechanical workshops
- Automotive / Panel shops
- Window cleaning
- Cleaning
- General industry
- Graphic arts
- Hair care and beauty therapists
- Childcare centres

SEE OUR  
GLOVE  
DISPENSERS  
ON PAGE 44

## Size and Codes

Small	(41079)	Medium	(41080)
Large	(41081)	X Large	(41082)



## Packaging

100 pieces per box, 10 boxes per carton (1000 pieces)





**Lightly powdered disposable latex gloves.**

**Comfortable, flexible, providing great dexterity for the wearer, Ecotex latex gloves are suitable for many general applications.**

**Gloves are packaged in boxes of 200\* to reduce packaging waste and maximise storage space.**

### Features

- Natural rubber latex
- Easy donning
- Flexible
- HACCP Australia Food Safety Certification
- Beaded cuff for extra strength when donning
- Lightly powdered
- Ambidextrous design
- Inners bulk value packed in boxes of 200 gloves\* to reduce packaging waste and maximise storage. XL packed in boxes of 180

### Uses include

- Food manufacturing and processing
- Food handling and preparation
- Graphic arts
- Abattoirs
- Childcare centres
- Mechanical workshops
- Tattooists
- Cleaning



*Warning: These gloves contain natural rubber latex, and may cause allergic reactions in some individuals*



### Size and Codes

Small (41099)	Medium (41100)
Large (41101)	*X Large (41102)

### Packaging

200 pieces per box, 10 boxes per carton (2000 pieces)

\* X Large 180 pieces per box, 10 boxes per carton (1800 pieces)

# ALL CLEAR & FOODIE BLUES

Premium vinyl

Disposable Gloves



Our premium vinyl disposable gloves, thicker than the Eco vinyl glove range are lightly powdered available in blue or clear.

All Clear are suitable for many general applications and for protection in food and non food areas.

Foodie Blues, blue in colour for easy recognition in the food processing/handling areas.

Latex allergy sufferers will benefit from the vinyl glove.

## Features

- Vinyl
- Resist oils, fats, greases and some chemical splashes
- Does not contain DOP/DEHP phthalates
- Latex free, ideal for latex allergy sufferers
- HACCP Australia Food Safety Certification
- Lightly powdered
- Ambidextrous design

## Uses include

- Food manufacturing and processing
- Food handling and preparation areas i.e. deli's, sandwich bars, cafés
- Catering
- Cleaning
- General industry



## Size and Codes - All Clear

Small	(41020)	Medium	(41021)
Large	(41022)	X Large	(41023)

## Size and Codes - Foodie Blues

Small	(41016)	Medium	(41017)
Large	(41018)	X Large	(41019)



## Packaging

100 pieces per box, 10 boxes per carton (1000 pieces)

# ECO CLEAR & ECO BLUE Vinyl



Disposable Gloves



The Eco vinyl glove range is available in blue or clear in either lightly powdered or powder free variants.

Comfortable and lightweight, these gloves are suitable for a variety of general applications.

## Features

- Vinyl
- Resists oils, greases and some chemical splashes
- Does not contain DOP/DEHP phthalates
- Latex free, ideal for latex allergy sufferers
- HACCP Australia Food Safety Certification
- Lightly powdered or powder free
- Ambidextrous design

## Uses include

- Food handling and preparation areas i.e. deli's, sandwich bars and cafés
- Food manufacturing and processing
- Catering
- Cleaning
- General industry



### Eco Clear Lightly Powdered

Small	(41110)	Medium	(41111)
Large	(41112)	X Large	(41113)

### Eco Blue Lightly Powdered

Small	(41115)	Medium	(41116)
Large	(41117)	X Large	(41118)

### Eco Clear Powder Free

Small	(41120)	Medium	(41121)
Large	(41122)	X Large	(41123)

### Eco Blue Powder Free

Small	(41125)	Medium	(41126)
Large	(41127)	X Large	(41128)

## Packaging

100 pieces per box, 10 boxes per carton (1000 pieces)



# POLY GLOVES

Polyethylene

Disposable Gloves



The Poly glove is an economical alternative to vinyl gloves for the food industry. Made from polyethylene, it is lightweight and a low cost glove. Blue in colour for easy recognition in the food processing/handling areas.

## Features

- Polyethylene
- Lightweight
- Powder free
- Latex free, ideal for latex allergy sufferers
- HACCP Australia Food Safety Certification
- Easy donning
- Ambidextrous design

## Uses include

- Food handling and preparation areas i.e. deli's, sandwich bars, cafés
- Catering
- Cleaning
- Beauty



## Size and Codes

Medium	(41053#)
Large	(41054#)



SEE OUR  
GLOVE  
DISPENSERS  
ON PAGE 44

## Packaging

500 pieces per box, 20 boxes per carton (10,000 pieces)



# THRIFTY YELLOWS

## economy



### Rubber

**Flock lined rubber, the Thrifty Yellow glove is an economically priced general purpose glove.**

#### Features

- Rubber
- HACCP Australia Food Safety Certification
- Flock lined for greater sweat absorption and comfort
- Thickness 0.38mm
- 30cm glove length
- Non-slip embossed pattern for firm grip
- Lightweight
- Soft, flexible and increased dexterity
- Reusable
- Comfortable to wear
- Conforms to European Council Directive 89/636/EEC relating to (complex design) Personal Protective Equipment after assessment against Standards EN 374, EN 388 and EN 420:2003



Rubber Gloves

#### Uses include

- Commercial kitchens and laundries
- Industrial and general cleaning
- Hospitality
- Food manufacturing and processing industries
- General manufacturing

*Warning: These gloves contain natural rubber latex, and may cause allergic reactions in some individuals*



**FLOCK  
LINED**

#### Size and Codes

Small	(41250)	Medium	(41251)
Large	(41252)	X Large	(41253)



#### Packaging

12 pairs per inner, 144 pairs per carton

# PROCESS BLUES

## premium

### Rubber

Process Blues are blue lined rubber gloves made from FDA compliant materials for contact with food.

They are extensively used within the food processing industry, such as fisheries, meat and poultry works.

Compatible with our internal liners Poly C and Interlox.



#### Features

- Rubber
- HACCP Australia Food Safety Certification
- Blue lined
- Thickness 0.45mm
- 30cm glove length
- Special anti-microbial protection to resist bacterial and fungal growth
- Honeycomb grip - provides good wet and dry grip
- Food safe blue colour
- Excellent tensile strength
- Tear resistant
- Good resistance to detergents and diluted chemicals. Refer to our chart on pages 40-43 for further information on the chemical permeation qualities of the gloves
- Silicon free - food, paint and electronics friendly
- Individual hangsell pack
- Reusable
- Conforms to European Council Directive 89/636EEC relating to (complex design) Personal Protective Equipment after assessment against Standards EN 374, EN 388 and EN420:2003

*Warning: These gloves contain natural rubber latex, and may cause allergic reactions in some individuals*

#### Uses include

- Food manufacturing and processing lines, canneries, fisheries, meat works, poultry works
- Commercial kitchens and laundries
- Hospitality
- General manufacturing
- Hospital kitchens and cleaning applications

EN 388



1011

EN 374



ABK



#### Size and Codes

7 - 7.5	(41213)	8 - 8.5	(41215)
9 - 9.5	(41217)	10 - 10.5	(41219)

#### Packaging

1 pair per poly bag, 12 pairs per inner, 12 inners per carton (144 pairs)

# TUFF PINKS

## premium

### Rubber



Silver lined rubber gloves to enable easy on/off glide and eliminate particle shedding from the glove.

Compatible with our internal liners Poly C and Interlox.




#### Features

- Rubber
- HACCP Australia Food Safety Certification
- Silver lined
- Thickness 0.50mm
- 30cm glove length
- Special anti-microbial protection to resist bacterial and fungal growth
- Honeycomb grip - provides good wet and dry grip
- Excellent tensile strength
- Tear resistant
- Good resistance to detergents and diluted chemicals. Refer to our chart on pages 40-43 for further information on the chemical permeation qualities of the gloves
- Silicon free - food, paint and electronics friendly
- Individual hangsell pack
- Reusable
- Conforms to European Council Directive 89/636/EEC relating to (complex design) Personal Protective Equipment after assessment against Standards EN 374, EN 388 and EN 420:2003

*Warning: These gloves contain natural rubber latex, and may cause allergic reactions in some individuals*

#### Packaging

1 pair per poly bag, 12 pairs per inner, 12 inners per carton (144 pairs)



#### Uses include

- General and industrial cleaning
- Commercial kitchens and laundries
- Hospitality
- General manufacturing
- Food manufacturing and processing lines, canneries, fisheries, meat works, poultry works


#### Size and Codes

7 - 7.5	(41205)	8 - 8.5	(41207)
9 - 9.5	(41209)	10 - 10.5	(41211)

# NITRILE 33'S

Nitrile

EN 388



3101

EN 374



AJKL



Nitrile 33's are a high quality nitrile flock lined glove. Strong, durable and provides excellent resistance to a wide range of chemicals, including petroleum based solvents, oils and greases.

Due to their thickness of 0.38mm they provide excellent protection against abrasion and snags.

## Features

- Nitrile
- Latex free, ideal for latex allergy sufferers
- 33cm long
- 0.38mm thickness
- Softer and more flexible
- Flock lined to absorb perspiration
- Diamond grip
- Resistant to a broad range of chemicals, particularly petroleum based solvents, oils and greases
- Excellent cut, puncture and abrasion resistance
- Silicon free - paint, electronics and food industry friendly
- Individual hangsell pack
- HACCP Australia Food Safety Certification
- Conforms to European Council Directive 89/636/EEC relating to (complex design)  
Personal Protective Equipment after assessment against Standards EN 374, EN 388 and EN 420:2003

## Uses include

- Agrochemical industry, chemical handling and processing
- Manufacturing industries using cutting oils, automobile industry, metal treatment and material handling
- Petrochemical and oil refining
- Aerospace industry
- Industrial cleaning
- Printing industry
- Fisheries, poultry, food manufacturing

★  
*Softer  
& More  
Flexible*  
★

## Size and Codes

Size 8 (41275)	Size 9 (41276)
Size 10 (41277)	Size 11 (41278)

## Packaging

1 pair per poly bag, 12 pairs per inner, 12 inners per carton (144 pairs)



# NITRILE 46'S

Nitrile

pro-val  
by RCR



Nitrile 46's are a high quality nitrile unlined glove, extra long 46cm in length for protection up to the elbow. Strong, durable and provide excellent resistance to a wide range of chemicals, including petroleum based solvents, oils and greases.

Due to their thickness of 0.55mm they provide excellent protection against abrasion and snags.

## Features

- Nitrile
- Latex free, ideal for latex allergy sufferers
- Extra long 46cm in length, for protection up to the elbow
- 0.55mm thickness
- Unlined
- Pebble grip
- Resistant to a broad range of chemicals, particularly petroleum based solvents, oils and greases
- Excellent cut, puncture and abrasion resistance
- Silicon free - paint, electronics and food industry friendly
- HACCP Australia Food Safety Certification
- Conforms to European Council Directive 89/636/EEC relating to (complex design) Personal Protective Equipment after assessment against Standards EN 374, EN 388 and EN 420:2003

## Uses include

- Agrochemical industry, chemical handling and processing
- Manufacturing industries using cutting oils, automobile industry, metal treatment and material handling
- Fisheries, poultry, food manufacturing
- Aerospace industry
- Industrial cleaning
- Commercial deep sink dishwashing
- Printing industry
- Petrochemical and oil refining



## Size and Codes

Medium - 8 (41263)    Large - 9 (41264)  
X Large - 10 (41265)

## Packaging

1 pair per poly bag, 12 pairs per inner,  
(sold in inners of 12) 72 pairs per carton

Nitrile Gloves - Heavy Duty



EN 511



X1X

EN 388



354X

Offering cut resistant protection, with added warmth and comfort to protect hands from cold environments.

The KT5 is made from a combination of HPPE (High-performance-polyethylene), glass fibre, polyester and spandex. Its design creates a thermal effect and provides Level 5 cut resistant protection (EN 388).

Suitable for contact with all foodstuffs, it has an extra long cuff, is seamless, breathable and a fantastic fit.

#### Features

- Component materials comply with European regulation for food contact
- Thermal effect
- Good comfortable handling in cold working environments
- Can be worn as an inner glove or on its own
- Pairs packed in polybags for optimum hygiene
- Cutting index performance Level 5
- Outstanding flexibility and feel
- High abrasion and tear rating
- Extra long cuff
- 10 gauge
- Breathable
- Washable and reusable
- Ambidextrous and seamless

#### Uses include

- Cold storage
- Outdoor work in cold weather
- Meat, fish, poultry or seafood processing
- Fruit and vegetable processing
- Abattoirs
- Butchers



#### Size and Codes

Medium	(41634)	Large	(41635)
X Large	(41636)	XX Large	(41637)
XXX Large	(41638)		

#### Packaging

1 pair per polybag,  
10 pairs per inner,  
(sold in inners of 10 pairs)  
100 pairs per carton

# FREEZA-GRIP

Polyester / Sandy Foam nitrile palm



Cold Storage Gloves



The Freeza-Grip glove with brushed acrylic lining offers outstanding warmth for the wearer working in cold indoor/outdoor areas. Combined with its sandy foam nitrile palm polyester outer the glove provides excellent grip and dexterity.

Level 4 resistance to contact cold under EN511 Gloves Giving Protection From Cold (where 4 is the highest).

Conveniently packaged on informative hangsell cards for retail display.

## Features

- Hangsell packaging
- Polyester outer
- Keeps hands warm
- Excellent grip and dexterity
- Brushed acrylic lining
- Sandy foam nitrile palm
- Reusable and washable



## Uses include

- Cold storage areas
- Coolrooms
- General warehouses
- Outdoor work in cold weather conditions

EN 388



3232

EN511



04X



## Size and Codes

Large	(41625)
X Large	(41626)

## Packaging

10 pairs per inner, (sold in inners of 10)  
100 pairs per carton

# POLY COTTON

Cotton

The general purpose Poly C is ideal for a dry environment to protect against dirt, dust and fingerprints.

Poly C is available in cream or grey.

The Poly C glove can also be worn under a rubber or nitrile glove for extra comfort for extended periods, and is good for absorbing perspiration.

Poly D variant is a polycotton glove with a PVC dotted palm for extra grip.

Poly D is available in purple or grey.

## Features

- Polycotton
- Seamless
- PVC dotted palm (Poly D)
- Protects against dirt and dust
- Unbleached
- Reusable and washable

## Uses include

- Packing lines
- Processing and production lines
- Warehouses
- Dusty environments

### Size and Codes

#### Poly C Cream

Medium (41501)  
Large (41502)

#### Poly C Grey

Large (41623)

### Size and Codes

#### Poly D Purple

Large (41504)

#### Poly D Grey

Large (41620)



Poly C  
Cream  
or Grey



Poly D Purple



Poly D Grey

## Packaging

12 pairs per inner, 240 pairs per carton



# INTERLOX

100% Cotton

pro-val  
by RCR



Liners / Solo Gloves

**“The perfect under glove”.**

**Interlox are a cotton interlock glove.**

**They maintain a fingerprint free environment and keep the hands warm and clean.**

## Features

- 100% Cotton
- Stitched thumb for extra support
- Keeps hands warm without losing feel
- Leaves no fingerprints
- Washable
- Lightweight

## Uses include

- Warehousing
- Photography
- Pharmaceutical
- Clean environment
- Packing lines
- Under glove in food manufacturing or processing
- General industry

## Size and Codes

Medium (41550) Large (41551)

## Packaging

12 pairs per inner. 600 pairs per carton

# FOAM FLEX

Nylon / Foam nitrile palm



EN 388



3121

**Foam Flex is ideal for wearing in many industrial applications for extended periods. It is very flexible and cool to wear.**

**The foam nitrile provides excellent abrasion and tear resistance as well as sound grip and oil resistance on the palm.**

## Features

- Nylon = breathable and flexible
- Foam nitrile palm coated = good grip. Foam feature enhances flexibility
- Foam nitrile = resists abrasions, cuts and punctures. Also resists oil
- Reusable and washable

## Uses include

- General industrial workplace applications
- Automotive industry
- Mechanical workshops and assembly lines
- Engineering environments
- Metal and plastics industries

## Size and Codes

Small	(41541)	Medium	(41542)
Large	(41543)	X Large	(41544)

## Packaging

10 pairs per inner, (sold in inners of 10)  
120 pairs per carton

# PRECISION

Nylon / Polyurethane palm

pro-val  
by RCR



EN 388



4131

Industrial Gloves

**Precision form fitting gloves are an optimum combination of nylon and polyurethane especially for intricate work requiring finger touch precision.**

**Comfortable and can be worn for long periods.**

## Features

- Nylon = breathable and flexible
- Polyurethane palm coated = grip and abrasion resistance
- Outstanding dexterity
- Fingertip sensitivity
- Excellent abrasion resistance
- Good tear resistance
- Reusable and washable

## Uses include

- Precision instrument work environments, i.e. engineering
- Clean environment
- Pharmaceutical
- Clean packing lines
- Electronics and semiconductor industries

## Packaging

10 pairs per inner, (sold in inners of 10)  
100 pairs per carton

## Size and Codes

Medium (41535)	Large (41536)
X Large (41537)	

# TAIPAN

## Premium nylon / Latex crinkle palm

The Taipan gloves offer outstanding grip, dexterity and feel. Made from premium grade nylon with latex crinkle finish palm.

The high quality nylon used in producing these gloves is extremely breathable and lightweight, keeping hands cooler with less perspiration and fatigue when worn for long periods of time.

EN 388



2131



### Features

- Taipan - 13 gauge black premium nylon with black latex crinkle palm
- Provides outstanding grip, dexterity and feel
- Good grip in both wet and dry environments
- Comfortable to wear
- Lightweight and feels like a second skin
- The latex offers water resistant protection on palm
- Manufactured to European standard EN388
- Reusable and washable

### Uses include

- General industrial workplace applications
- Automotive industry
- Mechanical workshops and assembly lines
- Engineering environments
- Roadside workers
- Clean packing lines
- Construction
- Plumbing
- Shipping
- Refuse collection
- Plastic industries
- Bricklaying
- Paving

### Size and Codes

Small	(41575)	Medium	(41576)
Large	(41577)	X Large	(41578)
XX Large	(41579)		

### Packaging

10 pairs per inner, (sold in inners of 10)  
100 pairs per carton





# TROJAN

## Polyvinyl chloride (PVC)



EN 388



3121

EN 374



PVC Gloves - Heavy Duty

The Trojan is made from premium polyvinyl chloride (PVC) and provides excellent protection against many acids, caustics, oils, fats, petroleum based hydrocarbons and alcohols.

It has a seamless cotton liner that provides extreme comfort and perspiration absorption.

An ideal heavy duty industrial work glove, providing advanced feel and grip with extreme flexibility and comfort.

### Features

- Premium polyvinyl chloride (PVC)
- Extremely flexible - you can curl your fingers in these ones!
- Seamless cotton liner
- Excellent protection against many acids, oils and chemicals
- Wet and dry grip
- Double dipped, plus triple layered between thumb and forefinger
- Rough grip palm
- Protection against abrasions and light cuts
- 30cm length
- Reusable

### Uses include

- Mining
- Automotive industry
- Petrochemical and oil refining
- Chemical processing/clean ups
- Fisheries
- Pharmaceutical
- Farming
- Heavy industrial

### Size and Codes

9	(41560)	10	(41561)
11	(41562)		

### Packaging

12 pairs per inner, 72 pairs per carton



The DX5 gloves provide excellent cut, abrasion and tear resistance.

Constructed from a blend of HPPE (High-performance-polyethylene) and glass fibre with a PU (polyurethane) palm coating. These gloves provide excellent grip, sensitivity and resistance to oils and greases.

The DX5 offers improved dexterity and touch, without compromising the cut, abrasion or tear resistance.

### Features

- HPPE provides extra strength and cut resistance
- Cutting index performance Level 5
- Polyurethane palm coat for excellent grip, oil and grease resistance
- Highly elastic memory
- Resistant to abrasions, cuts and tearing
- Reusable and washable

### Uses include

- Metal industries
- Warehousing, pick and pack operations
- Automotive industry
- General manufacturing
- Glass
- Plastics
- Mining

### Size and Codes

Medium	(41596)	Large	(41597)
X Large	(41598)	XX Large	(41599)

### Packaging

10 pairs per inner, (sold in inners of 10)  
100 pairs per carton

# DYNAGRIP

HPPE & Glass fibre / Polyurethane palm



Cut Resistant Gloves



EN 388



4543



Scan QR code to  
view our Dynagrip  
glove video

The Dynagrip gloves provide excellent cut, abrasion and tear resistance.

Constructed from a blend of HPPE (High-performance-polyethylene), glass fibre and added Lycra to increase flexibility. These gloves with a PU (polyurethane) palm coating provide excellent grip, sensitivity and resistance to oil and greases.

The Dynagrip also offers increased puncture resistance over the DX5 glove.

## Features

- HPPE provides extra strength and cut resistance
- Cutting index performance Level 5
- Lycra added for flexibility
- Polyurethane palm coat for excellent grip, oil and grease resistance
- Highly elastic memory
- Resistant to abrasions, cuts and tearing
- Reusable and washable

## Uses include

- Metal industries
- Warehousing, pick and pack operations
- Automotive industry
- General manufacturing
- Glass
- Plastics
- Mining

## Size and Codes

Medium	(41519)	Large	(41520)
X Large	(41521)	XX Large	(41522)

## Packaging

10 pairs per inner, (sold in inners of 10)  
100 pairs per carton

# TUFFLEX

HPPE & Glass fibre / Foam nitrile palm



**Maximum cut resistant protection (high Level 5), with increased puncture resistance (Level 4) and outstanding dexterity.**

**Tufflex is made from a combination of HPPE (High-performance-polyethylene), and glass fibre, providing extra strength and cut resistance.**

**It has a breathable foam nitrile palm, which is excellent in wet or dry working conditions.**

## Features

- **High Level 5 cut resistant**, 4 times higher than the standard Level 5 cut resistance
- **HPPE** provides extra strength and cut resistance
- Level 4 puncture resistance
- Breathable foam nitrile black palm
- PE lined for added comfort
- Safety orange back for high visibility
- Excellent grip in wet or dry environments
- Achieves the highest abrasion and tear resistance
- Outstanding dexterity and snug fit
- Easy donning
- Lightweight

## Uses include

- Sheet metal
- Steel works
- Glass
- Construction
- Engineering
- Automotive industry
- Sharp steel
- General manufacturing
- Mining

## Size and Codes

Medium	(41582)	Large	(41583)
X Large	(41584)	XX Large	(41585)

## Packaging

10 pairs per inner, (sold in inners of 10)  
100 pairs per carton



# KG5

pro-val  
by RCR

HPPE, Glass fibre, Polyester & Spandex



Cut Resistant Gloves

*Note: For hygiene purposes cut resistant gloves should always be covered with an impervious glove when handling food. Uncovered gloves are for illustrative purposes only.*

**The KG5 is a Level 5 cut resistant liner glove, specifically manufactured for the food industry.**

**Made from a combination of HPPE (High-performance-polyethylene), glass fibre, polyester and spandex, the KG5 offers maximum cut resistant protection, superior abrasion and tear resistance.**

**Suitable for contact with all foodstuffs, the KG5 is reusable and washable, has maximum dexterity and is breathable, seamless providing an outstanding fit.**

#### Features

- Component materials comply with European regulation for food contact
- Maximum dexterity, outstanding flexibility and feel
- Cutting index performance Level 5
- High abrasion and tear rating
- Individually packed for optimum hygiene
- Breathable
- 13 gauge
- Long cuff
- Washable and reusable
- Ambidextrous and seamless

#### Packaging

1 glove per polybag,  
10 gloves per inner,  
(sold in inners of 10 gloves)  
20 inners per carton (200 gloves)

#### Uses include

- Food industry
- Abattoirs and butchers
- Fisheries and seafood industries
- Fruit and vegetable processing
- Poultry processing
- Commercial kitchens
- Catering
- Automotive trade

#### Size and Codes

Medium	(41628)	Large	(41629)
X Large	(41630)	XX Large	(41631)

## Chemical

	Natural Rubber	Nitrile	Polychloroprene	PVC	PU
Acetaldehyde 50%	G	N	F	N	N
Acetamide	N	N	F	N	I
Acetate solvent	F	F	N	N	I
Acetic acid, glacial	G	F	N	N	N
Acetic acid 30%	G	G	E	F	N
Acetic anhydride I	G	F	G	N	N
Acetone	F	N	F	N	I
Acetyl chloride	N	N	N	F	I
Acetylene	G	G	G	E	F
Acrylonitrile	N	N	F	I	I
Adipic acid	E	E	E	I	I
Aluminium acetate	E	G	G	I	I
Aluminium chloride	E	E	E	E	I
Aluminium fluoride	G	E	E	E	I
Aluminium hydroxide	N	E	E	E	I
Aluminium nitrate	E	E	E	I	I
Aluminium potassium sulfate	E	E	E	E	I
Aluminium sulfate	E	E	E	E	E
Amine	G	N	G	N	I
Ammonia anhydrous	N	G	G	E	N
Ammonia gas (cold)	E	E	E	I	I
Ammonia gas (hot)	N	N	G	I	I
Ammonia nitrate	I	F	F	G	I
Ammonium bifluoride	I	E	E	E	I
Ammonium carbonate	E	N	E	E	I
Ammonium casenite	I	I	E	I	I
Ammonium chloride	E	G	E	E	N
Ammonium hydroxide	N	N	E	E	I
Ammonium nitrate	F	E	E	E	I
Ammonium nitrite	E	E	E	I	I
Ammonium oxalate	I	I	E	E	I
Ammonium persulfate	E	N	E	E	I
Ammonium phosphate	E	E	E	E	I
Ammonium sulfate	E	E	E	E	I
Ammonium thiosulfate	I	E	E	I	I
Amyl acetate	N	N	N	F	N
Amyl alcohol	G	G	G	E	I
Amyl chloride	N	G	N	N	I
Aniline	N	N	N	F	N
Aniline hydrochloride	G	G	N	I	I
Animal fats	N	E	G	I	I
Aqua regia (80%HCl, 20%HNO3)	N	N	N	F	I
Antimony trichloride	E	I	F	E	I
Aroclor 1248	N	N	N	I	I
Aromatic hydrocarbons	N	N	N	N	I
Arsenic acid	G	E	E	E	N
Arsenic trichloride	N	E	E	I	I
Asphalt	N	G	F	G	N
Barium carbonate	E	E	E	E	I
Barium chloride	E	E	E	E	G
Barium cyanide	I	F	E	I	I
Barium hydroxide	E	E	E	E	N
Barium nitrate	I	E	E	G	I
Barium sulfate	E	E	E	G	I
Barium sulfide	E	E	E	E	E
Beer	E	E	E	E	F
Benzaldehyde	N	N	N	N	N
Benzene	N	N	N	F	N
Benzol	N	N	G	I	N
Benzyl alcohol	N	N	G	N	N
Benzyl benzoate	N	N	N	I	I
Benzyl chloride	F	N	N	I	I
Benzoic acid	N	N	N	E	I

## Chemical

	Natural Rubber	Nitrile	Polychloroprene	PVC	PU
Bleach (Chlorox)	N	G	G	E	I
Boric acid	E	E	E	E	E
Brine	E	F	E	I	I
Bromine-anhydrous	N	N	N	F	N
Bromine trifluoride	N	N	N	I	I
Bromotoluene	N	N	N	I	I
Bunker oil	N	E	N	I	I
Butadiene	N	N	N	N	I
Butane	N	E	E	F	E
Butter	N	E	G	I	I
Butylene	N	G	F	F	I
Butyl acetate	N	N	N	N	N
Butyl alcohol	E	E	E	E	G
Butyl amine	N	F	N	I	I
Butyl benzoate	F	N	N	I	I
Butyl cellosolve	N	F	F	I	E
Butyl stearate	N	G	N	I	I
Butyric acid	I	N	N	G	I
Calcium acetate	E	G	G	I	I
Calcium bisulfate	E	E	G	E	E
Calcium bisulfide	I	E	E	E	F
Calcium bisulfite	N	N	E	G	I
Calcium carbonate	E	E	E	E	I
Calcium chlorate	E	F	E	E	I
Calcium chloride	E	E	E	E	N
Calcium hydroxide	E	E	E	E	N
Calcium hypochlorite	N	N	N	N	N
Calcium nitrate	E	E	E	I	E
Calcium sulfate	F	E	F	E	I
Calcium sulfide	G	E	E	I	E
Calgon	I	E	E	I	I
Cane juice	E	E	E	E	I
Carbitol	N	G	G	I	N
Carbolic acid (phenol)	N	N	F	F	I
Carbon bisulfide	N	N	N	N	I
Carbon dioxide	G	N	G	E	F
Carbon disulfide	N	N	N	N	N
Carbon monoxide	E	E	G	E	G
Carbon tetrachloride	N	F	N	F	N
Carbonic acid	E	G	E	E	N
Castor oil	F	E	E	I	G
Cellosolve	N	N	N	I	I
Cellosolve acetate	N	N	N	I	N
Chloric acid	I	N	N	N	I
Chlorine (dry)	N	N	F	E	I
Chlorine (wet)	N	N	F	E	I
Chlorine dioxide	N	N	N	I	I
Chloroacetone	N	N	N	I	I
Chloroacetic acid	N	N	N	G	N
Chlorobenzene	N	N	N	N	N
Chlorobutadiene	N	N	N	I	I
Chloroform	N	N	N	N	N
Chlorosulfonic acid	N	N	N	N	N
Chlorotoluene	N	N	N	I	N
Chocolate syrup	N	E	E	I	I
Chromic acid 5%	G	N	N	E	N
Chromic acid 10%	N	N	N	E	N
Chromic acid 30%	N	N	N	G	N
Chromic acid 50%	N	N	N	F	N
Cinnamom oil	I	I	N	I	I
Citric acid	E	E	E	G	N
Citric oils	E	E	N	I	I
Clove oil	I	E	N	I	I

## SYMBOLS

E = Excellent

G = Good with some minor effect

F = Fair with moderate effect

N = Not recommended severe effect

I = Not tested

This Chemical Resistance Table is intended to provide general information about the reactions of different glove materials to the chemicals listed. This information is based upon published research data. Pro-Val gloves have not been individually tested against these chemicals. Variances in glove thickness, chemical concentration, temperature and length of exposure to chemicals will affect the performance.

This information should be used for reference purpose only. User must proceed with caution when handling these chemicals.

## Chemical

	Natural Rubber	Nitrile	Polychloroprene	PVC	PU
Cobalt	E	E	E	I	I
Coconut oil	N	E	G	I	I
Cod liver oil	N	E	G	I	I
Coffee	E	E	E	I	I
Coke oven gas	N	N	N	I	N
Copper acetate	E	G	G	I	I
Copper chloride	E	E	G	E	I
Copper cyanide	E	E	E	E	E
Copper fuoborate	E	G	E	E	I
Copper nitrate	I	E	E	G	I
Copper sulfate	F	E	E	E	G
Corn oil	N	E	F	I	G
Cottonseed oil	N	F	F	I	G
Creosote (coal tar)	N	F	F	I	F
Cresol	N	N	N	N	N
Cresylic acid	N	N	N	F	N
Cumene	N	N	N	I	N
Cyanic acid	I	F	F	I	I
Cyclohexane	N	G	N	N	G
Cyclohexanol	N	F	G	I	G
Cyclohexanone	N	N	N	I	N
P-cymene	N	N	N	I	I
Decalin	N	N	N	I	I
Denatured alcohol	E	E	E	I	I
Detergent solution non-hydrocarbon	G	E	G	E	N
Diacetone	N	N	N	I	N
Diacetone alcohol	N	N	N	I	N
Dibenzyl ether	N	N	N	I	G
Dibutyl amine	N	N	N	I	I
Dibutyl ether	N	N	N	I	F
Dibutyl phthalate	N	N	N	I	N
Dibutyl sebecate	N	N	N	I	N
Dichlorobenzene	N	N	N	I	N
Dichloroethane	N	I	N	N	I
Dichloro-isopropyl ether	N	N	N	I	I
Diesel oil	N	E	F	E	F
Diethylamine	G	F	F	N	F
Diethylamine benzene	N	N	N	I	I
Diethyl ether	N	N	F	I	I
Diethylene glycol	E	E	E	I	N
Diethyl sebecate	N	N	N	I	N
Dihydrogen monoxide	E	E	E	I	I
Diisobutylene	N	G	N	I	I
Diisopropyl benzene	N	N	N	I	I
Diisopropyl ketone	N	N	N	I	I
Dimethyl formamide	N	G	F	I	I
Dimethyl phthalate	N	N	N	I	I
Dinitrotoluene	N	N	N	I	I
Diocetyl phthalate	N	F	N	I	I
Diocetyl sebecate	N	N	N	I	N
Dipentene	N	G	N	I	I
Diphenyl (phenylbenzene)	N	N	N	I	I
Diphenyl oxide	N	E	N	N	I
Dowtherm oil	N	N	N	I	I
Dry cleaning fluids	N	F	N	I	I
Ethane	N	E	G	N	I
Ethanolamine	G	G	G	N	I
Ether	N	N	N	N	N
Ethyl acetate	F	N	N	N	N
Ethyl acetoacetate	N	N	N	I	I
Ethyl alcohol	E	F	E	I	F
Ethyl benzene	N	N	N	I	I
Ethyl benzoate	E	N	N	I	I
Ethyl cellulose	G	G	G	I	I

## SYMBOLS

E = Excellent  
G = Good with some minor effect  
F = Fair with moderate effect  
N = Not recommended severe effect  
I = Not tested

## Chemical

	Natural Rubber	Nitrile	Polychloroprene	PVC	PU
Ethyl chloride	N	E	N	N	F
Ethyl ether	N	F	N	I	G
Ethyl formate	N	N	G	I	I
Ethyl pentochlorobenzene	N	N	N	I	I
Ethyl silicate	F	E	E	I	I
Ethylene	F	E	F	I	I
Ethylene chloride	N	N	N	N	I
Ethylene chlorohydrin	G	N	G	I	N
Ethylene diamine	G	E	E	I	I
Ethylene dichloride	N	N	N	N	I
Ethylene glycol	E	E	E	E	E
Ethylene oxide	N	N	N	N	I
Ethylene trichloride	N	N	N	I	I
Fatty acids	N	F	F	G	N
Ferric chloride	E	E	G	E	G
Ferric nitrate	E	E	E	E	E
Ferric sulfate	E	E	E	E	I
Ferrous chloride	E	E	E	E	E
Ferrous sulfate	E	E	E	E	E
Fish oil	N	E	N	I	I
Fluoroboric acid	E	G	E	E	I
Fluorobenzene	N	N	N	I	I
Fluorine	N	N	N	N	N
Fluorolube	G	E	G	I	I
Fluosilic acid	G	E	G	E	N
Formaldehyde 40%	I	G	G	G	N
Formaldehyde 100%	G	F	F	G	N
Formic acid	G	N	F	F	N
Freon 11	N	F	N	F	I
Freon 12	N	G	G	G	G
Freon 13	E	E	E	I	I
Freon 21	N	E	N	I	I
Freon 22	G	N	E	N	I
Freon 113	N	E	E	F	I
Freon 114	E	E	E	I	I
Freon TF	N	E	E	G	I
Fuel oil	N	G	F	E	N
Furan resin	N	N	N	E	I
Furfural	N	N	N	N	N
Gallic acid	E	G	N	E	N
Gasoline	N	E	F	F	G
Gelatin	E	E	E	E	I
Ginger oil	I	E	E	I	I
Glucose	E	E	E	E	N
Glue PVA	G	E	E	F	I
Glycerin	E	E	E	E	N
Glycols	E	E	E	I	I
Gold monocyanoide	I	E	E	I	I
Green sulfate liquor	G	G	G	I	I
Grease	N	N	N	E	I
Heptane	N	E	E	F	I
Hexane	N	G	G	G	G
Helix alcohol	G	E	G	I	I
Hexyl alcohol	E	E	G	I	N
Hydraulic oil (petroleum)	N	E	G	E	E
Hydraulic oil (synthetic)	I	I	I	E	I
Hydrazine	N	N	G	I	N
Hydrobromic acid 20%	E	N	N	G	I
Hydrobromic acid 100%	E	N	N	G	I
Hydrobromic acid (hot) 37%	N	N	N	I	I
Hydrochloric acid 20%	F	I	I	E	N
Hydrochloric acid 37%	G	F	F	G	N
Hydrochloric acid 100%	N	N	N	G	N
Hydrocyanic acid	E	N	G	E	N

This Chemical Resistance Table is intended to provide general information about the reactions of different glove materials to the chemicals listed. This information is based upon published research data. Pro-Val gloves have not been individually tested against these chemicals. Variances in glove thickness, chemical concentration, temperature and length of exposure to chemicals will affect the performance. This information should be used for reference purpose only. User must proceed with caution when handling these chemicals.

## Chemical

	Natural Rubber	Nitrile	Polychloroprene	PVC	PU
Hydrofluoric acid 20%	F	N	F	N	N
Hydrofluoric acid 50%	F	N	F	N	N
Hydrofluoric acid 75%	N	N	N	N	N
Hydrofluoric acid 100%	N	N	N	N	N
Hydrofluosilic acid 20%	E	G	F	N	I
Hydrofluosilic acid 100%	N	F	F	N	I
Hydrogen gas	G	E	E	E	E
Hydrogen peroxide 10%	N	N	F	E	I
Hydrogen peroxide 30%	N	N	N	E	I
Hydrogen peroxide 50%	N	N	N	E	I
Hydrogen peroxide 100%	N	N	N	F	N
Hydrogen sulfide (aqua)	N	N	F	G	N
Hydrogen sulfide (dry)	E	E	E	E	N
Hydroxyacetic acid 70%	I	E	E	N	I
Iodine	N	N	N	N	I
Iodoform	N	N	N	E	I
Isobutane	I	E	N	E	I
Isobutyl alcohol	E	G	E	I	I
Iso-octane	N	E	G	I	I
Isopropyl acetate	N	N	N	N	I
Isopropyl alcohol	E	F	F	I	I
Isopropyl chloride	N	N	N	I	I
Isopropyl ether	N	F	N	G	E
Kerosene	N	E	F	E	E
Ketones	N	N	N	N	I
Lacquers	N	N	N	F	I
Lacquer thinners	N	N	N	F	I
Lactic acid	E	G	E	G	E
Lard	N	E	F	E	I
Lavender oil	N	G	N	I	I
Latex	I	E	I	I	I
Lead acetate	E	G	G	E	I
Lead nitrate	E	E	E	I	I
Lead sulfamate	G	G	E	E	I
Lemon oil	I	I	I	I	I
Lime	I	E	E	E	I
Linseed oil	N	E	F	I	F
Liquefied petroleum gas (LPG)	N	E	G	I	I
Lubricating oils (petroleum)	N	G	F	G	I
Lye	G	G	G	I	I
Magnesium carbonate	I	E	E	E	I
Magnesium chloride	E	E	E	E	N
Magnesium hydroxide	F	G	G	E	G
Magnesium nitrate	I	E	E	E	I
Magnesium oxide	I	E	E	I	I
Magnesium sulfate	F	E	E	E	I
Maleic acid	N	N	N	E	I
Maleic anhydride	N	N	N	I	I
Malic acid	F	F	F	E	I
Mayonnaise	I	E	I	N	I
Melamine	I	F	N	I	I
Mercuric chloride (dilute)	E	E	E	E	F
Mercuric cyanide	N	E	E	G	I
Mercury	E	E	E	G	G
Mesityl oxide	N	N	N	I	I
Methane	N	E	G	I	I
Methanol	E	E	E	E	N
Methyl acetate	N	N	N	N	I
Methyl acetone	N	N	G	I	I
Methyl alcohol	E	E	E	G	N
Methyl acrylate	E	N	N	I	I
Methyl bromide	N	G	N	N	I
Methyl butyl ketone (propyl acetone)	N	N	N	E	I
Methyl cellosolve	N	F	F	G	I

## Chemical

	Natural Rubber	Nitrile	Polychloroprene	PVC	PU
Methyl chloride	N	N	N	N	I
Methyl dichloride	N	N	N	E	I
Methyl ethyl ketone (MEK)	N	N	N	N	N
Methyl isobutyl ketone	N	N	N	N	I
Methyl isopropyl ketone	N	N	N	I	I
Methyl methacrylate	N	N	N	I	I
Methyl oleate	N	N	N	I	I
Methylamine	G	F	I	I	I
Methylene chloride	N	N	N	N	N
Milk	E	E	E	E	I
Mineral oil	N	E	F	I	F
Molasses	E	E	E	E	I
Monochlorobenzene	N	N	N	I	I
Monoethanolamine	G	N	N	I	I
Monoethylether	N	E	F	I	I
Monovinyl acetylene	G	E	G	I	I
Mustard	G	F	G	G	I
Naphtha	N	F	N	F	N
Naphthalene	N	N	N	N	N
Napthenic acid	N	G	N	I	I
Natural gas	N	N	N	I	N
Nickel acetate	E	G	G	I	N
Nickel chloride	E	E	G	E	F
Nickel sulfate	G	E	E	E	I
Nitrating acid (<15% H2SO4)	F	I	E	N	I
Nitrating acid (>15% H2SO4)	F	I	E	N	I
Nitrating acid (<1% acid)	F	I	E	N	I
Nitrating acid (>15% HNO3)	F	I	E	N	I
Nitric acid (5-10%)	N	N	N	E	N
Nitric acid (20%)	N	N	N	E	N
Nitric acid (50%)	N	N	N	G	N
Nitric acid -conc.	N	N	N	N	N
Nitrous acid	F	I	N	E	I
Nitrobenzene	N	N	N	N	N
Nitroethane	G	N	F	I	I
Nitromethane	G	N	F	I	I
Nitrogen	E	E	E	I	E
Octachlorotulene	N	N	N	I	I
Octyl alcohol	G	G	G	I	I
Oleic acid	N	F	N	F	I
Oleum 25%	N	N	N	N	I
Oleum 100%	N	N	N	N	I
Olive oil	N	E	G	F	E
Orange oil	I	E	N	I	I
O-dichlorobenzene	N	N	N	I	I
Oxalic acid	F	G	G	E	I
Oxygen-cold	G	G	E	I	I
Ozone	N	N	F	I	G
Palmitic acid	N	E	F	I	I
Palm oil	I	E	N	E	I
Paraffin	G	E	E	E	I
Peanut oil	N	E	N	E	I
Pentane	N	E	G	I	I
Peppermint oil	I	G	N	I	I
Perchloric acid	N	N	F	I	I
Perchloroethylene	N	N	N	I	N
Petrolatum	N	E	G	I	I
Petroleum	N	E	G	I	E
Phenol (carbolic acid)	N	N	N	F	N
Phenylbenzene	N	N	N	I	I
Phenyl hydrazine	E	N	N	I	I
Phorone	N	N	N	I	I
Phosphoric acid - 20%	N	N	N	G	N
Phosphoric acid - 80%	N	N	N	G	N

## SYMBOLS

E = Excellent  
G = Good with some minor effect  
F = Fair with moderate effect  
N = Not recommended severe effect  
I = Not tested

*This Chemical Resistance Table is intended to provide general information about the reactions of different glove materials to the chemicals listed. This information is based upon published research data. Pro-Val gloves have not been individually tested against these chemicals. Variances in glove thickness, chemical concentration, temperature and length of exposure to chemicals will affect the performance.*

*This information should be used for reference purpose only. User must proceed with caution when handling these chemicals.*



## Chemical

	Natural Rubber	Nitrile	Polychloroprene	PVC	PU
Phosphorus trichloride	N	N	N	I	I
Phthalic anhydride	F	G	E	N	I
Picric acid	G	G	G	N	I
Pine oil	N	N	N	F	I
Polyvinyl acetate emulsion	G	I	G	I	I
Potash	G	E	G	F	I
Potassium acetate	N	G	G	I	N
Potassium bicarbonate	G	E	E	E	I
Potassium bromide	G	E	E	E	I
Potassium carbonate	G	E	E	E	I
Potassium chlorate	G	F	E	E	I
Potassium chloride	E	E	E	E	E
Potassium chromate	G	E	E	E	I
Potassium cupro cyanide	E	E	E	I	I
Potassium cyanide	E	E	E	E	E
Potassium dichromate	G	E	E	E	N
Potassium ferrocyanide	E	N	I	G	I
Potassium hydroxide	G	G	F	E	I
Potassium nitrate	E	E	E	E	I
Potassium permanganate	G	F	E	E	I
Potassium sulfate	G	E	E	E	I
Potassium sulfide	G	E	E	E	I
Propane	N	E	F	N	I
Propyl alcohol	E	E	E	E	F
Propyl nitrate	N	N	N	I	I
Propylene	N	N	N	I	I
Pyranol (transformer oil)	N	E	G	I	I
Pyridine	N	N	N	N	I
Pyrogalllic acid	I	I	I	E	I
Sal ammoniac	E	E	E	I	E
Salicylic acid	E	G	E	I	I
Salt water	E	E	E	E	E
Sesame seed oil	I	E	N	E	I
Sewage	F	E	E	I	I
Silicone greases	E	E	E	E	I
Silicone oils	E	E	E	E	I
Silver bromide	I	I	I	I	I
Silver nitrate	E	G	E	E	E
Skydrol 500	N	N	N	I	I
Skydrol 7000	N	N	N	I	I
Soap solutions	G	E	G	E	F
Sodium acetate	E	G	G	G	E
Sodium aluminate	G	E	E	I	I
Sodium bicarbonate	E	G	G	E	I
Sodium bisulfate	E	G	F	E	I
Sodium bisulfite	E	E	E	E	I
Sodium borate (borax)	E	E	E	F	N
Sodium carbonate (soda ash)	E	E	E	E	I
Sodium chlorate	E	F	E	E	I
Sodium chloride (brine)	E	E	E	E	E
Sodium chromate	I	E	E	I	I
Sodium cyanide	E	E	E	E	I
Sodium fluoride	N	N	N	N	I
Sodium hydrosulfite	E	I	E	F	I
Sodium hydroxide 20%	E	G	G	E	I
Sodium hydroxide 50%	E	N	F	E	I
Sodium hydroxide 80%	G	N	F	E	I
Sodium hypochlorite <20%	F	G	G	E	N
Sodium hypochlorite 100%	N	N	N	F	N
Sodium hyposulfate	F	I	F	I	I
Sodium metaphosphate	E	E	G	I	I
Sodium metasilicate	I	E	E	E	I
Sodium nitrate	G	G	G	E	N

## SYMBOLS

E = Excellent  
G = Good with some minor effect  
F = Fair with moderate effect  
N = Not recommended severe effect  
I = Not tested

## Chemical

	Natural Rubber	Nitrile	Polychloroprene	PVC	PU
Sodium perborate	G	G	G	E	I
Sodium peroxide	G	G	G	G	I
Sodium phosphate	E	E	G	I	E
Sodium polyphosphate	E	E	N	E	I
Sodium silicate	E	E	E	E	I
Sodium sulfate	G	E	E	E	I
Sodium sulfide	G	E	E	E	I
Sodium sulfite	G	E	E	E	I
Sodium tetraborate	I	E	I	E	I
Sodium thiosulfate	G	G	E	E	I
Sorghum	I	E	E	I	I
Soybean oil	N	N	F	E	I
Stannic chloride	E	E	N	E	N
Stannic fluoborate	N	E	E	I	I
Stannous chloride	E	E	F	E	I
Starch	I	F	E	E	I
Stearic acid	N	G	G	G	E
Styrene	N	N	N	N	N
Sugar (liquids)	E	E	G	I	I
Sulfate (liquor)	I	E	F	G	I
Sulfur	N	N	N	I	I
Sulfur chloride	N	N	N	F	I
Sulfur dioxide	F	N	N	N	N
Sulfur trioxide	F	N	N	E	N
Sulfuric acid 10%	F	N	G	E	N
Sulfuric acid 10-75%	N	N	N	E	N
Sulfuric acid 75-100%	N	N	N	N	N
Sulfurous acid	F	F	G	E	I
Sulfuryl chloride	I	I	I	E	I
Tallow	I	E	G	I	I
Tannic acid	E	G	G	E	F
Tar bituminous	N	G	F	I	I
Tartaric acid	F	E	F	E	F
Tetrachloroethane	N	N	I	N	I
Tetrachloroethylene	N	N	N	N	I
Tetrahydrofuran	N	N	N	N	I
Terpinol	N	G	N	I	I
Tertiary butyl alcohol	G	G	G	I	N
Tetraethyl lead	N	G	G	I	I
Toluene	N	N	N	N	N
Transformer oil	N	E	G	I	E
Transmission fluid -A-	N	E	G	I	E
Trichloroethane	N	N	N	I	I
Trichloroacetic acid	N	G	N	I	N
Trichloroethylene	N	N	N	N	I
Trichloropropane	I	E	E	I	I
Tricresyl phosphate	N	N	N	N	I
Triethylamine	I	E	G	E	I
Trinitrotoluene	N	N	G	I	I
Turbine oil	N	G	N	I	I
Turpentine	N	E	N	G	N
Varnish	N	G	N	N	I
Vegetable oil	N	E	N	I	I
Vinegar	G	G	G	E	I
Vinyl chloride	N	N	N	I	I
Whiskey, wines	E	E	E	E	I
White oil	N	E	G	I	I
Wood oil	N	E	G	I	I
Xylene	N	N	N	N	N
Zinc chloride	E	E	E	E	N
Zinc hydrosulfite	I	E	E	I	I
Zinc sulfate	F	E	E	F	I

This Chemical Resistance Table is intended to provide general information about the reactions of different glove materials to the chemicals listed. This information is based upon published research data. Pro-Val gloves have not been individually tested against these chemicals. Variances in glove thickness, chemical concentration, temperature and length of exposure to chemicals will affect the performance. This information should be used for reference purpose only. User must proceed with caution when handling these chemicals.

# GLOVE, APRON & WIPE DISPENSERS

Single and triple glove and apron dispensers are an efficient way of dispensing quickly and cleanly, keeping hygiene at a premium in the food and medical industry.



**Size:**  
Height 490mm x Width 275mm x Depth 100mm

## Size and Codes

Single Dispenser (41056#)  
Triple Dispenser (41057#)

## Uses include

- Hairdressing salons
- Nursing aid units
- Aged care facilities
- Chemical laboratories
- Medical examination rooms
- Doctor's surgeries
- Operating theatres
- First aid units
- Vehicle spray painting industry
- Food preparation areas



**Size:**  
Height 95mm x Width 295mm x Depth 100mm

## Packaging

6 dispensers per carton

Heavy duty wipe dispenser is a white powder coated bracket, complete with screws for wall mounting.

## Size and Codes

HD Wipe Dispenser (40525)

## Packaging HD Wipe Dispenser

6 brackets per carton



# P1 RESPIRATORS



**P1 Respirators are suitable for protection against mechanically generated particles down to 1 micron, such as dust and mist. Pro-Val P1 conical respirators have yellow straps for easy identification.**

## P1 CONICAL

### Features

- EVA foam nose seal for added comfort
- Adjustable nose bridge for secure fit
- Recommended for dust applications
- AS/NZS 1716:2012 approved
- Elastic latex free dual straps, sonic welded, staple free



### Uses include

- Sawing
- Drilling
- Woodworking
- Sanding
- Sweeping
- Gardening

*The user should evaluate the suitability of this product for their application.*

### Code

P1 Conical (30121)

### Packaging

20 masks per box, 12 boxes per carton  
240 masks

## RESPIRATOR FITTING INSTRUCTIONS

**Respirators should be used in accordance with AS/NZ 1715 selection, use and maintenance of respiratory protection devices.**



**1.** Hold the respirator in one hand with nose-piece at your fingertips, allowing the head straps to hang freely below your hands.



**2.** Place respirator against your face with the nose-piece on the bridge of your nose.



**3.** Place the top strap high on the back of your head. Move the bottom strap over your head and position it below your ears.



**4.** Use both hands to mould the nose-piece to the shape of your nose for a secure, comfortable fit.



**5.** Test to fit. Cup your hands over the respirator and exhale strongly. If air flows around your nose, tighten the nose-piece. If air escapes around the edges, reposition the strap for a better fit.



**6.** Fitted respirator.

# P2 RESPIRATORS

**P2 Respirators are suitable for protection against mechanically and thermally generated particles down to 0.3 micron, such as toxic dusts including asbestos, mist and welding fumes. All Pro-Val P2 respirators have blue straps for easy identification.**

## P2 CONICAL

### Features

- EVA foam nose seal for added comfort
- Adjustable nose bridge for secure fit
- Recommended for toxic dusts, welding fumes and mists
- AS/NZS 1716:2012 approved
- Elastic latex free dual straps, sonic welded, staple free

### Uses include

- Oxy cutting
- Fumes and smoke
- Welding
- Grinding

## P2 CONICAL WITH VALVE

### Features

- EVA foam nose seal for added comfort
- Adjustable nose bridge for secure fit
- Valve aids in expelling hot air and assists breathing
- Recommended for toxic dusts, welding fumes and mists
- AS/NZS 1716:2012 approved
- Elastic latex free dual straps, sonic welded, staple free

### Uses include

- Glass etching
- Brazing
- Welding
- Sanding
- Demolition work
- Grinding

*The user should evaluate the suitability of this product for their application.*



#### Code

P2 Conical (30123)

### Packaging

20 masks per box, 12 boxes per carton  
240 masks



#### Code

P2 Conical w/valve (30124)

### Packaging

10 masks per box, 24 boxes per carton  
240 masks



## P2 CARBON WITH VALVE

Suitable for protection against mechanically and thermally generated particles down to 0.3 micron, such as toxic dusts including asbestos, mist and welding fumes. They also assist in removing nuisance levels of ozone and organic vapours. P2 Carbon respirators have green straps and nose piece.

### Features

- EVA foam nose seal for added comfort
- Adjustable nose bridge for secure fit
- AS/NZS 1716:2012 approved
- Carbon removes nuisance levels of ozone and organic vapours
- Recommended for protection against mechanically and thermally generated particles such as dust, mist and fumes
- Valve aids in expelling hot air and assists breathing
- Valve and straps coloured green - for easy identification
- Elastic latex free dual straps, sonic welded, staple free



### Uses include

- Chemical processing
- Spray painting
- Agriculture
- Sanitation
- Hot working conditions
- Refuse collection
- Grinding



*The user should evaluate the suitability of this product for their application.*

### Code

P2 Carbon (30129)

### Packaging

10 masks per box, 12 boxes per carton  
120 masks

# DISPOSABLE FACE MASKS



**General purpose, non surgical pleated disposable face mask.**

## Features

- Ear loops
- Fibreglass free
- Latex free
- Excellent breathability
- Adjustable nose bar for secure fit
- For single use
- 3 ply

## Uses include

- Nail technicians
- Beauty salons
- Aged care facilities
- Health care facilities
- Industrial applications

*The user should evaluate the suitability of this product for their application.*

## Code

Face Mask (30130)

## Packaging

50 masks per box, 20 boxes per carton  
1000 masks



# CLOTHING RANGE

*The Pro-Val range of protective clothing provides a cross contamination barrier, protecting people, product and processes.*

## Disposable Coveralls - Details Pages 52-58

- Comparison chart and size chart
- Hazguard MP4 - waterproof
- Hazguard MP5 - water resistant
- Hazguard SMS triple layer - water resistant
- Hazguard PP single layer - not water resistant
- Eco SMS triple layer - water resistant
- Eco PP single layer - not water resistant



## Splash Gowns - Details Page 59

- CPE Splash gown, protection of arms and torso, waterproof and lightweight

## Aprons - Details Page 60

- Waterproof, lightweight yet strong
- White or blue
- Uni size with two ties at the back



## Disposable Coats - Details Pages 61-63

- Visitor coats for coverage in wet areas
- Lab coats PP breathable
- With and without pockets
- Blue and white



## Sleeve Protectors - Details Pages 64-65

- Armgard PE for wet areas
- Lighttouch PP and breathable
- Cut Resistant
- Blue and white



## Shoe & Boot Covers - Details Pages 66-67

- Surefoot PP shoe covers breathable with non-skid sole
- Gloshe CPE shoe cover waterproof
- Shintoe PP hard wearing shoe cover with PVC sole, waterproof upper and PP lining
- CPE boot cover
- SMS boot cover



## Berets & Beard Covers - Details Page 68

- Round and crimped hair caps
- Beard covers in single loop or double loop



## Health Care Range - Details Page 69

- White PP bed sheets 100cm x 197cm
- White PP pillowcase 70cm x 50cm



## Freezer Wear - Details Pages 70-71

- Freezer Jackets with hi-vis reflective tape
- Freezer Pants
- Beanies
- Gloves
- Technical data and size chart



## Pallet & Drum Covers - Details Page 72-73

- Blue water resistant pallet cover 1.4 x 1.4m
- Blue water resistant 200 ltr drum cover
- White breathable pallet cover 1.4 x 1.4m
- White breathable 200 ltr drum cover





## Polypropylene or PP

- Lightweight
- Maintains shape
- Soft
- Breathable
- Permeable to water
- Does not fray when cut
- Cost effective

### ***Effective barrier against:***

- Dirt/dust
- Grease
- Grime
- Particulate matter and fibres
- Insects

## SMS

- Consists of high filtration Meltblown Polypropylene layer bonded between two layers of SpunBonded Polypropylene
- Filters 99.8% of particles of sizes 0.5-1 micron
- Good breathability
- Water resistant
- Good strength and tear resistance

### ***Effective barrier against:***

- Particulates, such as asbestos
- Brick and cement dust
- Aerosol mists
- Dirt and dust

## Polyethylene or PE, LDPE or CPE

- Soft and flexible
- Lint free
- Gas and aroma barrier
- Strong for its weight, hard to tear
- Does not fray when cut

### ***Effective barrier against:***

- Water and dilute chemicals
- Blood and bodily fluids
- Grease and oil
- Dirt/dust/grime
- Very fine particulate matter and fibres
- Insects

## Microporous PE Laminate

- Breathable PE film laminated to SpunBonded Polypropylene inner layer
- Waterproof and durable
- Lightweight and comfortable
- Chemical liquid (EN368) and blood (ASTM F1670) penetration resistance
- Lint free outer surface
- Anti-static

### ***Effective barrier against:***

- Blood and bodily fluids
- Liquids
- Particulates, such as asbestos
- Aerosol mists
- Spray painting

# COVERALL COMPARISON AND SIZE CHART

Protection Level	Hazguard MP4	Hazguard MP5	Hazguard SMS	Hazguard PP	ECO SMS	ECO PP
Type 4 - EN 14065:2005 and EN 468 barrier to saturation spray of liquids	■	■	■	■	■	■
Type 5 - EN 13982-1:2004 barrier to airborne particulate materials and dust i.e. asbestos	■	■	■	■	■	■
Type 6 - EN 13034:2005 barrier to limited splash and liquid spray	■	■	■	■	■	■
Category 1 suit (minimal risk) Protection against non hazardous dry particulates, dirt and grime	■	■	■	■	■	■
EN 1149-1:1995 Anti-static	■	■	■	■	■	■
Chemical liquid (as per EN 368) and blood (as per ASTM F1670) penetration resistance	■	■	■	■	■	■
EN 1073-2:2002 Protection against radioactive contamination	■	■	■	■	■	■
<b>Features</b>						
Protects against low level spray mists	■	■	■	■	■	■
Waterproof	■	■	■	■	■	■
Water resistant	■	■	■	■	■	■
Fully elasticised hood, waist, ankles and wrist	■	■	■	■	■	■
Comfort cuffs	■	■	■	■	■	■
Fully elasticised waist	■	■	■	■	■	■
Breathable single layer	■	■	■	■	■	■
Breathable triple layer	■	■	■	■	■	■
Breathable microporous fabric	■	■	■	■	■	■
Stitched and taped seams creating a waterproof seal	■	■	■	■	■	■
Stitched seams - extra strength	■	■	■	■	■	■
Non woven inner for comfort	■	■	■	■	■	■
Reinforced gusset / crotch	■	■	■	■	■	■
Lint free outer surface	■	■	■	■	■	■
<b>Some uses as a guide only</b>						
Asbestos removal, brick and cement dust	■	■	■	■	■	■
Insulation	■	■	■	■	■	■
Paint spraying	■	■	■	■	■	■
Car industry	■	■	■	■	■	■
Medical / Forensic	■	■	■	■	■	■
Emergency services	■	■	■	■	■	■
Waste management	■	■	■	■	■	■
Fibreglassing / Resin application	■	■	■	■	■	■
Abattoirs	■	■	■	■	■	■
Insecticide / Pesticide spraying	■	■	■	■	■	■
Demolition work	■	■	■	■	■	■
Food processing	■	■	■	■	■	■
Chemical cleanup	■	■	■	■	■	■
Gardening	■	■	■	■	■	■
Police	■	■	■	■	■	■
Fisheries / Shipping	■	■	■	■	■	■
Road and transport workers	■	■	■	■	■	■
Veterinary	■	■	■	■	■	■

This comparison chart should be used for reference purpose only.

## SIZE CHART INFORMATION

Size	Chest (cms)	Height (cms)	Size	Chest (cms)	Height (cms)
Medium	92-100	168-176	Large	100-108	176-182
X Large	108-116	182-188	XX Large	116-124	188-194
XXX Large	124-132	194-200	XXXX Large	132-140	200-206

# HAZGUARD MP4

Types 4, 5 & 6

pro-val  
by RCR

The Hazguard MP4 coverall has stitched and taped seams creating a waterproof seal and made from breathable microporous fabric.

SGS Certificate GB11/83065

**CE Certified to protection level:**



Type 4 - Barrier to spray of liquids  
(EN 14605:2005 and EN 468)



Type 5 - Barrier to airborne particulate materials and dust  
(EN ISO 13982-1:2004)



Type 6 - Barrier to limited splash and liquid spray  
(EN 13034:2005)



EN 1149-1:1995 - Anti-static



EN 1073-2:2002 - For protection against radioactive contamination

**Microporous fabric is tested in accordance with:**



EN 14126 - For protection against biological hazards and infective agents

Chemical liquid (EN 368) and blood penetration  
(ASTM F1670) resistance

## Features


- Breathable and waterproof
- **Stitched and taped seams creating a waterproof seal**
- Excellent strength and tear resistance
- Lint free outer surface
- Non woven inner for comfort
- Reinforced gusset/crotch
- Fully elastic hood, waist, ankles and wrists
- Self adhesive zip flap
- Two way zip

## Uses include

- Pesticide/insecticide spraying
- Chemical clean up
- Medical/forensic
- Emergency services - Police
- Veterinary
- Food processing
- Fisheries
- Abattoirs
- Car industry
- Painting/spray painting
- Waste management
- Fibreglassing and resin application
- Road and transport workers
- Asbestos removal/demolition work



*The user should evaluate the suitability of this product for their application.*



## Size and Codes

Medium	(51631)	Large	(51632)
X Large	(51633)	XX Large	(51634)
XXX Large	(51635)		

## Packaging

1 piece per informative poly bag, 25 pieces per carton

# HAZGUARD MP5

Types 5 & 6

The Hazguard MP5 coverall is water resistant, made from a breathable microporous fabric, with stitched seams for extra strength.

SGS Certificate GB10/81990

**CE Certified to protection level:**

Type 5 - Barrier to airborne particulate materials and dust (EN ISO 13982-1:2004)

Type 6 - Barrier to limited splash and liquid spray (EN 13034:2005)

EN 1149-1:1995 - Anti-static

EN 1073-2:2002 - For protection against radioactive contamination


**Microporous fabric is tested in accordance with:**

EN 14126 - For protection against biological hazards and infective agents

Chemical liquid (EN 368) and blood penetration (ASTM F1670) resistance

## Features

- Breathable and water resistant
- Excellent abrasion and tear resistance
- Stitched seams for greater strength
- Lint free outer surface
- Non woven inner for comfort
- Reinforced gusset/crotch
- Fully elastic hood, waist, ankles and wrists
- Self adhesive zip flap
- Two way zip



## Size and Codes

Medium	(51308)	Large	(51309)
X Large	(51310)	XX Large	(51311)
XXX Large	(51312)		



## Uses include

- Chemical clean up
- Medical/forensic
- Emergency services - Police
- Veterinary
- Food processing
- Fisheries
- Abattoirs
- Car industry
- Waste management
- Fibreglassing
- Resin application
- Road and transport workers
- Asbestos removal/demolition work

*The user should evaluate the suitability of this product for their application.*

## Packaging

1 piece per informative poly bag, 25 pieces per carton



# HAZGUARD SMS

Types 5 & 6



The Hazguard SMS premium triple layer coverall is made from non woven polypropylene, spunbond, meltblown and spunbond. This triple layer matrix acts like a filter to keep out smaller particles, i.e. asbestos.

The coverall is water resistant and light weight, but with added strength and tear resistance due to its triple layer construction.

SGS Certificate GB10/81989

**CE Certified to protection level:**



Type 5 - Barrier to airborne particulate materials and dust (EN ISO 13982-1:2004)



Type 6 - Barrier to limited splash and liquid spray (EN 13034:2005)

## Features

- Highly breathable, reduces heat stress
- Water resistant
- Matrix of layers protects against water based splashes and sprays, particulate matter, fibres, dirt, dust, grease and grime
- Greater strength and tear resistance
- Stitched seams
- Fully elastic hood, waist, ankles and wrists
- Two way zip


## Uses include

- Asbestos removal/demolition work, brick and cement dust
- Pesticide/insecticide spraying
- Medical/forensic
- Emergency services - Police
- Veterinary
- Food processing
- Fisheries
- Abattoirs
- Car industry
- Waste management
- Fibreglassing
- Resin application
- Road and transport workers

*The user should evaluate the suitability of this product for their application.*

## Packaging

1 piece per informative poly bag, 50 pieces per carton



### Size and Codes - White

Medium	(51529)	Large	(51530)
X Large	(51531)	XX Large	(51532)
XXX Large	(51533)		

### Size and Codes - Blue

Medium	(51521)	Large	(51522)
X Large	(51523)	XX Large	(51524)
XXX Large	(51525)		

The Hazguard PP coverall is our premium non woven polypropylene coverall. Lightweight and breathable, this single layer coverall is an excellent solution for keeping clean, reducing decontamination and laundry costs. No water resistant protection and not deemed suitable for protection against a hazard.

## Features

- PP single layer
- Breathable and cool
- Protection against particulate matter, fibres, dirt, dust, grease and grime
- Not suitable for wet work
- Fully elastic hood, waist, ankles and wrists
- Two way zip
- Lightweight

LIGHTWEIGHT &  
BREATHABLE

## Uses include

- Insulation
- Car industry
- Waste management
- Gardening
- Veterinary
- Pharmaceutical
- Food processing
- Painting

*The user should evaluate the suitability of this product for their application.*

### Size and Codes - White

Medium (51419)	Large (51420)
X Large (51421)	XX Large (51422)
XXX Large (51423)	

### Size and Codes - Navy

Medium (51411)	Large (51412)
X Large (51413)	XX Large (51414)
XXX Large (51415)	

### Size and Codes - Orange

Large (51428)	X Large (51429)
XX Large (51430)	XXX Large (51431)

## Packaging

1 piece per informative poly bag, 50 pieces per carton



## Types 5 & 6

The most cost effective type 5 & 6 coverall in our range. The ECO SMS is a light blue, triple layer coverall. Made from non woven polypropylene, spunbond, meltblown and spunbond.

This triple layer coverall, is water resistant, breathable and lightweight. Suitable to wear in keeping out hazardous dust, i.e. asbestos.

### Tested to and complies with:



Type 5 - Barrier to airborne particulate materials and dust  
(EN ISO 13982-1:2004)



Type 6 - Barrier to limited splash and liquid spray  
(EN 13034:2005)

### Features

- Highly breathable, reduces heat stress
- Water resistant
- Matrix of layers protects against water based splashes and sprays, particulate matter, fibres, dirt, dust, grease and grime
- Greater strength and tear resistance
- Stitched seams
- Fully elastic hood, waist, ankles and wrists
- Two way zip

### Uses include

- Asbestos removal/demolition work, brick and cement dust
- Pesticide/insecticide spraying
- Medical/forensic
- Emergency services - Police
- Veterinary
- Food processing
- Fisheries
- Abattoirs
- Car industry
- Waste management
- Fibreglassing
- Resin application
- Road and transport workers



REDUCES  
HEAT  
STRESS

*The user should evaluate the suitability of this product for their application.*

### Size and Codes - Blue

Medium	(51665)	Large	(51666)
X Large	(51667)	XX Large	(51668)
XXX Large	(51669)	XXXX Large	(51670)

### Packaging

1 piece per informative poly bag, 50 pieces per carton



**Our economy single layer PP coverall. Made from non woven polypropylene, is lightweight and breathable and will keep you cool and clean.**

**No water resistant protection and not deemed suitable for protection against hazardous dusts.**

## Features

- PP single layer
- Breathable and cool
- Economical protection against particulate matter, fibres, dirt, dust, grease and grime
- Not suitable for wet work
- Fully elastic hood, waist, ankles and wrists
- Two way zip
- Lightweight

## Uses include

- Insulation
- Car industry
- Waste management
- Gardening
- Veterinary
- Pharmaceutical
- Food processing
- Painting



*The user should evaluate the suitability of this product for their application.*

## Size and Codes - White

Medium	(51640)	Large	(51641)
X Large	(51642)	XX Large	(51643)
XXX Large	(51644)		

## Size and Codes - Navy

Medium	(51648)	Large	(51649)
X Large	(51650)	XX Large	(51651)
XXX Large	(51652)		

## Packaging

1 piece per informative poly bag, 50 pieces per carton





# SPLASH GOWN

pro-val  
by RCR

Protective Clothing

The CPE Splash gown protects the arms and torso, it is waterproof and lightweight. Great protection against fine particles, liquid sprays and bodily fluids.



## Features

- Made from CPE (cast polyethylene film)
- Waterproof
- Two back ties, thumb loops to stop sleeve ride up with gloves
- Tear back so gown may be easily removed without slipping neck hole over head
- 1270mm long from shoulder
- Protects against water based liquids, mild acids and bases, bodily fluids, particulate matter, fibres, dirt, dust and grime
- Uni size

## Uses include

- Hospital, medical and diagnostic
- Emergency services
- Mortuary and funeral services
- Research industries
- Aged care
- Industry/manufacturing
- Food processing
- Beauty industry

## Code

Splash Gown (56005)

## Packaging

1 piece per poly bag, 100 pieces per carton

# APRONS

Pro-Val Aprons are made from embossed LDPE, waterproof, lightweight yet strong. Individually folded in dispenser boxes, the white apron is also available in extra long for added coverage where required.

## Features

- HACCP Australia Food Safety Certification
- Two back ties, head loop
- High water resistance
- Protects against water based liquids, mild acids and bases, bodily fluids, particulate matter, fibres, dirt, dust and grime
- Lightweight
- Uni size

## Uses include

- Food processing
- Medical
- Emergency services
- Beauty industry
- Aged care
- Industry/manufacturing
- Cleaning/janitorial
- Maintenance



### Size and Codes - White

800 x 1400mm x 0.020mm thick (DPEA500)

### Size and Codes - Blue

800 x 1400mm x 0.025mm thick (DPEAB500)

### Size and Codes - White

800 x 1600mm x 0.025mm thick (50255)



## Packaging

50 pieces per box, 500 pieces per carton

# VISITOR COATS



The Visitor coat with a hood are waterproof, lightweight polyethylene coats. Good coverage for very wet areas, these coats can serve as a disposable raincoat at concert and sporting venues.



## Features

- Full length coat covering shoulders, complete with hood
- Waterproof
- Press stud closures on front
- Uni size

## Uses include

- Concerts
- Sporting events
- Food processing

## Code

Visitor Coat

(DPEVCH)

## Packaging

1 piece per poly bag, 100 pieces per carton

Whether it's for staff or visitors, our disposable coat provides effective and comfortable protection for the wearer against dirt, dust and contamination.

Pro-Val Lab Coats are made from 30gsm non woven polypropylene. They offer excellent breathability and with no pockets, for use in the food processing and handling areas.

HACCP Australia Food Safety Certification is for the Lab Coat with no pockets.

For dry area use only, available in white or blue.

## Features

- HACCP Australia Food Safety Certification
- Made from 30gsm non woven polypropylene
- No pocket, ideal for food processing areas
- Elastic cuffs
- Velcro closures
- 1000mm long from shoulder
- Breathable and lightweight
- Protects against particulate matter, fibres, dirt, dust, grease and grime
- Available in blue and white
- Uni size
- For dry area use

## Uses include

- Food processing
- Pharmaceutical
- Laboratories
- Medical
- Industry/manufacturing



**Lab coat**  
Available in  
blue or white

### Code - White

Lab Coat no pockets (55003)

### Code - Blue

Lab Coat no pockets (55009)

## Packaging

1 piece per poly bag, 50 pieces per carton





# DISPOSABLE COATS



Pro-Val Lab Coats are made from 30gsm non woven polypropylene, offering excellent breathability.

Suitable for use by staff or visitors providing protection against dirt, dust and contamination.

## Features

- Made from 30gsm non woven polypropylene
- One chest pocket
- Elastic cuffs
- Velcro closures
- 1000mm long from shoulder
- Breathable and lightweight
- Protects against particulate matter, fibres, dirt, dust, grease and grime
- Available in blue and white
- Uni size
- For dry area use

## Uses include

- Pharmaceutical
- Laboratories
- Medical
- Industry/manufacturing
- Food processing



**Lab coat**  
Available in  
blue or white

## Packaging

1 piece per poly bag, 50 pieces per carton

### Code - White

Lab Coat one pocket (LCPPW)

### Code - Blue

Lab Coat one pocket (LCPPB)

# KS5 CUT RESISTANT SLEEVE PROTECTORS



EN standard  
for handling of  
foodstuffs

Made from a combination of HPPE (High-performance-polyethylene), glass fibre, polyester and spandex, the KS5 sleeve protectors offer maximum cut resistant protection and superior abrasion resistance.

Knitted cuff for a secure fit, breathable, washable, offering excellent protection for the wrist and arms

## Features

- Component materials comply with European regulation for food contact
- Cutting Index performance Level 5
- Firm fit with knitted cuff
- 400mm length
- 13 gauge
- Breathable
- Ambidextrous
- Reusable and washable

## Uses include

- Food industry
- Abattoirs and butchers
- Fisheries and seafood industries
- Fruit and vegetable processing
- Commercial kitchens
- Catering
- Glass / Glazing
- Steel Industry

## Size and Codes

X Large	(41640)
XX Large	(41641)

## Packaging

10 pieces per inner,  
(sold in inners of 10 pieces)  
20 inners per carton, (200 pieces)



# DISPOSABLE SLEEVE PROTECTORS

**Lighttouch**

**Armguard**



Pro-Val disposable sleeve protectors are available in two alternatives, polypropylene or polyethylene.

They provide coverage from your wrist to elbow and also help ensure no gap between glove/arm and keeps loose sleeves out of the way.

## Features

- HACCP Australia Food Safety Certification
- Lighttouch is made from polypropylene (PP) and is breathable
- Armguard is made from polyethylene (PE) for wet and messy areas
- Elastic both ends, heat sealed, no side seams
- 40cm long
- Lightweight
- Available in white and blue
- Uni size

## Uses include

- Food manufacturing and processing
- Fisheries, poultry and meatworks
- Laboratories
- Medical
- Industry/manufacturing
- Cleaning
- General industry

### Armguard Packaging

100 pieces per inner, 2000 pieces per carton

### Codes - Armguard

Blue	(DPESPb)
White	(DPESP)

### Lighttouch Packaging

100 pieces per inner, 500 pieces per carton

### Codes - Lighttouch

Blue	(DPPBSP)
White	(DPPWSP)

# SHOE COVERS

Our shoe covers provide a barrier between footwear and the environment. Keeping floors clean from contamination, no need to remove street footwear.

## Features - Surefoot and Gloshie

- HACCP Australia Food Safety Certification
- Surefoot is made from soft non-woven polypropylene and elastic with latex anti-skid tread on sole
- Gloshie is made from CPE embossed film and elastic, providing high water resistance
- Lightweight

## Uses include

- Nurses, medical staff
- Laboratories
- Protection for floors, carpets, tiles against dirt and grime
- Food manufacturing and processing
- General industry
- Maintenance/cleaning
- Pharmaceutical
- Medical



Surefoot

Gloshie

## Size and Codes - Surefoot

Standard Blue (PPSHOE)  
X Large Blue (50508)

## Sizes and Codes - Gloshie

Standard Blue (CPESHOE)  
X Large Blue (50507)  
Standard White (CPESHOEW)

## Surefoot Packaging

100 pieces per inner, 500 pieces per carton

## Gloshie Packaging

100 pieces per inner, 1000 pieces per carton

## Features - Shintoe

- HACCP Australia Food Safety Certification
- Double layer made from non-woven polypropylene and a lamination film of polyethylene
- Tough PVC sole and stitched seams
- Elastic ankle
- High water resistance

## Uses include

- Nurses, medical staff
- Laboratories
- Protection for floors, carpets, tiles against dirt and grime
- Food manufacturing and processing
- General industry
- Maintenance/cleaning
- Pharmaceutical
- Medical



Shintoe

## Code - Shintoe

White (PPEBOOT)

## Packaging

100 pieces per inner,  
500 pieces per carton



# BOOT COVERS

Our boot covers are designed in a generous size making them easy to put on, with ankle ties for a secure fit. The boot covers provide a barrier between footwear and the environment. Keeping floors clean from contamination, no need to remove street footwear.

## Features - CPE Boot Cover

- Waterproof
- Generous size, easy to put on
- Plastic ties for ankle
- Elastic at top
- Double layered on sole for added abrasion resistance
- One size fits all
- Cast polyethylene
- White
- Recommended for indoor use

## Uses include

- Nurses, medical staff
- Laboratories
- Protection for floors, carpets, tiles against dirt and grime
- Food manufacturing and processing
- General industry
- Maintenance/cleaning
- Pharmaceutical
- Medical



CPE Boot Cover

## Code - CPE Boot Cover

White (50506)

## Packaging

50 pieces per inner, 250 pieces per carton

## Features - SMS Boot Cover - non skid

- Vinyl non-skid sole
- Breathable SMS
- Splash resistant
- Generous size, easy to put on
- Stitched ties for ankle
- Elastic at top
- Good tear resistance
- One size fits all
- Suitable for outdoor use
- White

## Uses include

- Asbestos removal/demolition
- Nurses, medical staff
- Laboratories
- Food manufacturing and processing
- General industry
- Maintenance/cleaning
- Medical



SMS Boot Cover

## Code - SMS Boot Cover

White (50509)

## Packaging

50 pieces per inner, 200 pieces per carton

# BERETS & BEARD COVERS

**Crimped Beret**

**Beard cover**  
single loop

**Bouffant**



**Beard cover**  
double loop



**Bouffants and Berets. We've got your head covered! Lightweight and comfortable, our bouffants (round) and berets (crimped) are designed to contain hair.**

**Beard covers are available in single (large beards) or double loop. Single loop white now available in a crimped version for a more secure fit.**

## Features

- HACCP Australia Food Safety Certification
- Made from non-woven polypropylene and latex free elastic
- Soft and lightweight
- Breathable
- Bouffants and Berets available in a variety of colours to suit corporate, or cross contamination colour coding requirements
- Beard covers available in single or double loop in blue and white

## Uses include

- Food manufacturing and processing
- Food handling and preparation areas
- Catering
- General industry
- Medical
- Beauty industry



## Crimped Berets

Colour/Size	Code
White 21"	(DPEB21)
Blue 21"	(DPEB21B)
Green 21"	(DPEB21G)
Yellow 21"	(DPEB21Y)
Red 21"	(DPEB21R)
White 24"	(DPEB24)

## Round Bouffants

Colour/Size	Code
White 21"	(DPE21R)
Blue 21"	(DPE21RB)
Green 21"	(DPE21RG)
Yellow 21"	(DPE21RY)
Red 21"	(DPE21RR)
White 24"	(DPE24R)

## Beard Covers

Colour/Size	Code
White single loop <b>crimped</b>	(50756)
White single loop	(BCW601)
White double loop	(BCW601L)
Blue single loop	(BCB601)
Blue double loop	(BCB601L)

## Packaging Bouffants & Crimped Berets

100 pieces per inner,  
1000 pieces per carton

## Packaging Beard Covers

100 pieces per inner,  
500 pieces per carton

# BED SHEET & PILLOW CASE

Pro-Val single use throw-over bed sheet for examination, diagnostic and massage tables.

These products help assure hygiene and confidence between clients/patients. White simplifies cleanliness verification before use.

PP is softer and more comfortable than paper products.

## Features

- Made from polypropylene
- Breathable and lightweight
- Soft and more comfortable than paper products
- White simplifies cleanliness verification before use
- Hygienic
- Cost effective
- Bed sheet is pre-cut 100cm x 197cm can be used under or over a client as a drape
- Pillowcase will fit standard pillows 70cm x 50cm

## Uses include

- Massage therapists
- Beauty salons
- Medical clinics
- Physiotherapists, Chiropractors, alternative therapists
- Sporting clubs
- Schools

Pillowcase



Bed sheet

## Packaging Bed Sheets

100 pieces per carton

## Sizes and Code

Bed Sheet 100cm x 197cm (56001)

## Packaging Pillowcase

200 pieces per carton

## Sizes and Code

Pillowcase 70cm x 50cm (56041)

# FREEZER WEAR

Pro-Val freezer wear is designed to provide complete comfort and protection in very cold and sub-zero working environments.

## Features - Jacket and Pants

- Tested to and passed EN342:2004 protection against cold and freezing temperatures. See table on next page.
- Manufactured to meet AS/NZS 4602:2011 High visibility safety garments
- Fluorescent safety panels for visibility on front and back
- Jacket has high visibility retro reflective tape around torso, each arm and over shoulders
- 320gsm insulated padding
- Tough, water-resistant outer shell, 100% nylon fabric
- Polyester fibrefill insulation. Lining is taffeta
- Knitted nylon collar and cuffs to lock in body warmth, and exclude cold air
- Jacket has detachable hood
- A variety of utility pockets as well as insulated hand pockets
- Top and bottom leg zips on pants to ensure garments are easy to put on and take off

## Uses include

- Cold storage warehouses
- Freezers
- Freezer vans
- Cold outdoor environments
- Shipping and wharves
- Tradesmen

EN342 EN343



3  
3

**Hooded jacket**

**Gloves**

**Pants**



**Cold Storage gloves also available:**





# FREEZER WEAR



The freezer jacket and pants have been tested to and passed EN342:2004 protection against cold and freezing temperatures.

## CE Rules

Complies to EN340:2003 (general requirement) and EN342:2004

EN342:2004



449M<sup>2</sup>/KW

Very Light Activity 90 W/M <sup>2</sup>		Light Activity 115 W/M		2Medium Activity 170 W/M <sup>2</sup>	
8 H	1 H	8 H	1 H	8 H	1 H
8°C	-6°C	-1°C	-26°C	-21°C	-34°C

### Freezer Jacket

Size	Code	Chest in cm
Medium	(59021)	92-100
Large	(59022)	100-108
X Large	(59023)	108-116
XX Large	(59024)	116-124
XXX Large	(59025)	124-152
XXXX Large	(59026)	152-160

Sold individually

### Freezer Pants

Size	Code	Waist in cm
Medium	(59211)	86-94
Large	(59212)	94-102
X Large	(59213)	102-111
XX Large	(59214)	111-123
XXX Large	(59215)	123-135
XXXX Large	(59216)	135-145

Sold individually

The Pro-Val Beanie is designed to provide complete comfort and protection, in very cold and sub-zero working environments.

### Features - Beanie

- 3M Thinsulate for added warmth without the bulk
- Thinsulate lining 65% polyolefin / 35% polyester
- Wool / acrylic outer
- Comfortable fit



### Uses include

- Cold storage warehouses
- Freezers
- Freezer vans
- Cold outdoor environments
- Shipping and wharves
- Tradesmen

### Code

Beanie (59275)

### Packaging

10 pieces per inner, (sold per inner of 10)  
100 pieces per carton

# PALLET COVERS

The polypropylene elasticised covers for pallets, rectangular mik or bread crates.

Essential in warehouse and storage areas, these generous size pallet covers are designed to keep the top surface of your product and outer packaging clean and free from dirt, dust, insects and grime. Available in both white and blue.

Will help stop costly contamination.

## Features

- Square sheet with elastic around perimeter
- 1.4m x 1.4m
- 35gsm
- Soft and lightweight
- HACCP Australia Food Safety Certification
- Made from non-woven polypropylene
- Breathable, ensuring product doesn't sweat
- Non water resistant

## Uses include

- Warehouses
- Storage areas
- Food processing
- Industry/manufacturing

## PP Pallet Cover Colours and Codes

White (57000)      Blue (56999)



## Packaging Pallet Cover

1 cover per poly bag, 50 covers per carton

The water resistant, elasticised generous pallet cover is designed to keep the top surface of your product and outer packaging clean and free from dirt, dust, insects and grime.

Will help stop costly contamination.

## Features

- Square sheet with elastic around perimeter
- 1.4m x 1.4m
- Soft and lightweight
- Made from polyethylene CPE film
- High water resistance

## Uses include

- Warehouses
- Storage areas
- Food processing
- Industry/manufacturing

## CPE Pallet Cover Code

Blue (57002)



## Packaging Pallet Cover

1 cover per poly bag, 50 covers per carton

# DRUM COVERS

The polypropylene, elasticised drum cover offers protection to product and packaging from dirt, dust, insects and grime and helps stop costly contamination. Ideal for covering bread, milk and pie crates or a single drum.

Will help stop costly contamination.

## Features

- HACCP Australia Food Safety Certification
- Made from non-woven polypropylene
- 15gsm
- Breathable, ensuring product doesn't sweat
- Non water resistant
- Elastic around perimeter
- Soft and lightweight
- White



## Uses include

- Warehouses
- Storage areas
- Food processing
- Industry/manufacturing
- Ideal for covering bread/milk/ pie crates or a single drum

## Packaging

100 covers per poly bag, 5 poly bags per carton (500 covers)

**PP Drum Cover Code**  
White (57001)

The water resistant, polyethylene elasticised drum cover offers protection to product and packaging from dirt, dust, insects and grime and helps stop costly contamination. Ideal for covering bread, milk and pie crates or a single drum.

Will help stop costly contamination.

## Features

- Made from polyethylene PE film
- High water resistance
- Crimped elastic around perimeter
- Soft and lightweight
- Light Blue
- 0.013mm thickness



## Uses include

- Warehouses
- Storage areas
- Food processing
- Industry/manufacturing
- Ideal for covering bread/milk/ pie crates or a single drum

## Packaging

100 covers per poly bag, 5 poly bags per carton (500 covers)

**PE Drum Cover Code**  
Blue (57003)



The Pro-Val HD heavy duty wipes offer high absorbency and strength. These versatile wipes are designed to be used in the factory, home or office.

HACCP Australian Food Safety Certified, the Pro-Val wipes are also ideal for use in the food manufacturing or processing areas.

#### Features - HD Wipes

- Heavy duty cross lapped mesh wipe
- 60gsm
- HACCP Australia Food Safety Certification
- Size 30cm x 45cm
- Available in 3 colours - blue, green and red

#### Uses include

- Food processing and preparation
- Pharmaceutical and medical
- Surface preparation
- Hospitality
- General cleaning

#### HD Wipes Colours and Codes

Blue	(40518)
Green	(40519)
Red	(40520)

#### HD Wipes Packaging

100 wipes per roll, 6 rolls per carton, 600 wipes

#### Features - HD Wipe Dispenser

- White powder coated bracket
- Complete with screws for wall mounting



#### Code

HD Wipe Dispenser (40525)

#### HD Wipe Dispenser Packaging

6 brackets per carton



# VC WIPES



**The Pro-Val VC wipes have exceptional strength, durability and absorbency. With extremely low lint, used wet, dry or in-between, these wipes are more versatile than cloths and rags.**

## Features

- Made from non-woven fibre, spun laced
- 90% viscose / 10% polyester
- Stronger and more durable than paper
- Offers excellent value for use
- Extremely low lint
- Weight 60g/m<sup>2</sup>
- Size 60cm x 32cm

## Uses include

- Food processing and preparation
- Pharmaceutical and medical
- Chemical clean up/spill station kits
- Automotive and transportation
- Heavy industrial
- Machinery
- Surface preparation
- Graphic arts
- Electronic equipment and components
- Aerospace
- Paint spraying
- Polishing

## Code

VC Wipes (VC600)

## Packaging

50 wipes per poly bag, 6 poly bags per carton  
2 cartons per shipper (600 wipes)



**The Pro-Val WP solvent wipe is tough and durable, able to absorb more than 7 times its own weight.**

**WP wipes are low lint, with excellent all-round performance. Ideal for cleaning and wiping applications that involve grease, oil, diesel and dirt.**

#### Features

- Made from a composition of woodpulp and polyester fibres
- Exceptional strength
- Excellent absorbency
- Low lint
- Solvent resistant
- Size: Perforated roll 29cm x 40cm  
Dispenser style poly bag 35cm x 30cm

#### Uses include

- Solvent wiping
- Machinery
- Food industry
- Transport industries
- Chemical cleanup
- Engineering industries
- Heavy industrial
- Mechanics

#### Code

Perforated roll (40511)

#### Perforated Roll Packaging

500 wipes per roll, 2 rolls per carton (1000 wipes)

#### Code

Dispenser style poly bag (40510)

#### Poly Bag Packaging

50 wipes per poly bag, 6 poly bags per carton  
2 cartons per shipper (600 wipes)

# NOTES



# RCR International Pty Ltd

ABN 21 089 270 360

Level 2, 3 Joseph Avenue, Chifley Business Park  
Moorabbin Airport Vic 3194 Australia

PO Box 148 Braeside Vic 3195 Australia

Tel: (61 - 3) 9558 2020 Fax: (61 - 3) 9558 3030

Email: [service@rcr.com.au](mailto:service@rcr.com.au)

[www.rcr.com.au](http://www.rcr.com.au)

